

Revision Date 27-May-2018

**BOSTIK 1181S SPRAYABLE RED** 

Revision Number 1.01 Supersedes Date: 16-Jun-2017

# Section 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

#### 1.1. Product Identifier

Product Name BOSTIK 1181S SPRAYABLE RED

Pure substance/mixture Mixture

## 1.2. Relevant identified uses of the substance or mixture and uses advised against

**Recommended use** Contact adhesives.

Uses advised against Consumer use, This article contains hazardous substances or mixtures intended to be

released under normal or reasonably foreseeable conditions of use.

## 1.3. Details of the supplier of the safety data sheet

#### **Company Name**

Bostik New Zealand Limited 19 Eastern Hutt Road Wingate, Lower Hutt, New Zealand

Tel: 04-567 5119 Fax: 04-567 5412

#### 1.4. Emergency telephone number

Emergency Telephone 24 Hr: 0800 243 622

+64 4 917 9888

Poison Centre: 0800 764 766

E-mail address SDS.AP@Bostik.com

## Section 2: HAZARD IDENTIFICATION

## 2.1. Classification of the substance or mixture

Aspiration toxicity	Category 1 (6.1E g)
Skin Corrosion/Irritation	Category 2 (6.3A)
Serious Eye Damage/Eye Irritation	Category 2 (6.4)
Reproductive toxicity	Category 2 (6.8B)
STOT - Single Exposure	Category 3 (f)
Specific target organ toxicity (repeated exposure)	Category 2 (6.9B)
Acute aquatic toxicity	Category 2 (9.1D)
Chronic aquatic toxicity	Category 2 (9.1B)
Flammable Liquids	Category 2 (3.1B)

Classification in parenthesis is applicable for New Zealand Hazard Classification

## ERMA Group HSR002662

#### 2.2. Label Elements



Signal Word DANGER

**Hazard statements** 

Revision Date 27-May-2018

#### **BOSTIK 1181S SPRAYABLE RED**

Revision Number 1.01 Supersedes Date: 16-Jun-2017

H304 - May be fatal if swallowed and enters airways

H315 - Causes skin irritation

H319 - Causes serious eye irritation

H336 - May cause drowsiness or dizziness

H361 - Suspected of damaging fertility or the unborn child

H373 - May cause damage to organs through prolonged or repeated exposure

H411 - Toxic to aquatic life with long lasting effects

H225 - Highly flammable liquid and vapor

#### **Precautionary Statements - Prevention**

P201 - Obtain special instructions before use

P202 - Do not handle until all safety precautions have been read and understood

P281 - Use personal protective equipment as required

P264 - Wash face, hands and any exposed skin thoroughly after handling

P260 - Do not breathe dust/fume/gas/mist/vapors/spray

P271 - Use only outdoors or in a well-ventilated area

P273 - Avoid release to the environment

P210 - Keep away from heat/sparks/open flames/hot surfaces. - No smoking

P233 - Keep container tightly closed

P240 - Ground/bond container and receiving equipment

P241 - Use explosion-proof electrical/ ventilating/ lighting/ equipment

P242 - Use only non-sparking tools

P243 - Take precautionary measures against static discharge

P235 - Keep cool

## **Precautionary Statements - Response**

P321 - Specific treatment (see supplemental first aid instructions on this label)

#### Inhalation

P304 + P340 - IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

#### Skin

P332 + P313 - If skin irritation occurs: Get medical advice/attention

P303 + P361 + P353 - IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower

P363 - Wash contaminated clothing before reuse

## Eyes

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

P337 + P313 - If eye irritation persists: Get medical advice/attention

## Ingestion

P301 + P310 - IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician

P331 - Do NOT induce vomiting

#### Fire

In case of fire: Use CO2, dry chemical, or foam to extinguish

## Spill

P391 - Collect spillage

#### **Precautionary Statements - Storage**

P405 - Store locked up

P403 + P233 - Store in a well-ventilated place. Keep container tightly closed

#### **Precautionary Statements - Disposal**

P501 - Dispose of contents/ container to an approved waste disposal plant

#### 2.3. Other Hazards

**BOSTIK 1181S SPRAYABLE RED** 

Revision Date 27-May-2018 **Revision Number** 1.01 Supersedes Date: 16-Jun-2017

## Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

#### 3.1 Substances

Mixture

#### 3.2 Mixtures

Chemical Name	CAS No	Weight-%
Acetone	67-64-1	20- <40
Toluene	108-88-3	20- <40
Cyclohexane	110-82-7	5 - <10
Methylcyclohexane	108-87-2	1 - <5
Hexane	110-54-3	1 - <3
Zinc oxide	1314-13-2	0.1- <1
Tall oil rosin	8052-10-6	0.1- <1

<sup>\*\*\*</sup> Any remaining ingredients are not hazardous

## Section 4: FIRST AID MEASURES

#### 4.1. Description of first aid measures

**General Advice** If medical advice is needed, have product container or label at hand.

Inhalation Remove to fresh air.

**Skin Contact** Wash with plenty of soap and water. If skin irritation occurs: Get medical advice/

attention.

Eye contact In case of contact with eyes, rinse immediately with plenty of water and seek medical

advice. Remove contact lenses, if present and easy to do. Continue rinsing. Call a

physician immediately.

Ingestion If swallowed, do not induce vomiting: seek medical advice immediately and show this

container or label.

Self-Protection of the First Aider Use personal protection recommended in Section 8. Isolate the hazard area and deny

entry to unnecessary and unprotected personnel.

4.2. Most important symptoms and effects, both acute and delayed

**Symptoms** None known.

4.3. Indication of any immediate medical attention and special treatment needed

Note to physicians Treat symptomatically.

4.4. Reference to Other Sections

Reference to other sections See Section 12: ECOLOGICAL INFORMATION. Section 7: HANDLING AND

STORAGE. Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION.

## Section 5: FIRE-FIGHTING MEASURES

5.1. Extinguishing media

Suitable Extinguishing Media Use CO2, dry chemical, or foam.

**Unsuitable Extinguishing Media** No information available.

5.2. Special hazards arising from the substance or mixture

Specific Hazards Arising from the Carbon monoxide, carbon dioxide and unburned hydrocarbons (smoke).

Chemical

**BOSTIK 1181S SPRAYABLE RED** 

**Revision Number** 1.01 Supersedes Date: 16-Jun-2017

5.3. Advice for firefighters

Special Protective Equipment for Wear self contained breathing apparatus for fire fighting if necessary.

Revision Date 27-May-2018

Fire-fighters

## Section 6: ACCIDENTAL RELEASE MEASURES

#### 6.1. Personal precautions, protective equipment and emergency procedures

**Personal Precautions** Remove all sources of ignition. Evacuate personnel to safe areas. Ensure adequate

ventilation, especially in confined areas.

Other Information Water spray may reduce vapor; but may not prevent ignition in closed spaces.

Use personal protection recommended in Section 8. Isolate the hazard area and deny For emergency responders

entry to unnecessary and unprotected personnel.

6.2. Environmental precautions

**Environmental Precautions** Do not empty into drains, dispose of this material and its container at hazardous or

special waste collection point.

6.3. Methods and material for containment and cleaning up

**Methods for Containment** Dike far ahead of spill; use dry sand to contain the flow of material. Contain and collect

> spillage with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations

(see Section 13). Protect from moisture.

Methods for cleaning up Use clean non-sparking tools to collect absorbed material. Dike far ahead of spill for later

disposal.

6.4. Reference to other sections

See Section 12: ECOLOGICAL INFORMATION Reference to other sections

Section 7: HANDLING AND STORAGE

Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Section 7: HANDLING AND STORAGE

#### 7.1. Precautions for safe handling

Keep away from heat/sparks/open flames/hot surfaces. — No smoking. Take Advice on safe handling

precautionary measures against static charges. Use explosion-proof electrical/

ventilating/lighting/equipment.

7.2. Conditions for safe storage, including any incompatibilities

Do not eat, drink or smoke when using this product. Regular cleaning of equipment, work **General Hygiene Considerations** 

area and clothing is recommended.

Keep only in the original container/package in a cool well-ventilated place. Protect from Storage Conditions

moisture. Protect from direct contact with water or excessive moisture.

**Incompatible Materials** Strong acids and bases

7.3. Specific end use(s)

Other Information No information available.

7.4. References to Other Sections

Reference to other sections See Section 12: ECOLOGICAL INFORMATION. Section 7: HANDLING AND

STORAGE. Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION.

**BOSTIK 1181S SPRAYABLE RED** 

Revision Date 27-May-2018 **Revision Number** 1.01 Supersedes Date: 16-Jun-2017

## Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

#### 8.1. Control parameters

#### **Exposure Limits**

Chemical Name	New Zealand	Australia	European Union
Acetone	TWA: 500 ppm	500 ppm TWA	TWA: 500 ppm
67-64-1	TWA: 1185 mg/m <sup>3</sup>	1185 mg/m³ TWA	TWA: 1210 mg/m <sup>3</sup>
	STEL: 1000 ppm	1000 ppm STEL	
	STEL: 2375 mg/m <sup>3</sup>	2375 mg/m <sup>3</sup> STEL	
Toluene	TWA: 50 ppm	50 ppm TWA	TWA: 50 ppm
108-88-3	TWA: 188 mg/m <sup>3</sup>	191 mg/m³ TWA	TWA: 192 mg/m <sup>3</sup>
	Skin	150 ppm STEL	STEL: 100ppm
		574 mg/m <sup>3</sup> STEL	STEL: 384mg/m <sup>3</sup>
		_	S*
Cyclohexane	TWA: 100 ppm	100 ppm TWA	TWA: 200 ppm
110-82-7	TWA: 350 mg/m <sup>3</sup>	350 mg/m³ TWA	TWA: 700 mg/m <sup>3</sup>
	STEL: 300 ppm	300 ppm STEL	
	STEL: 1050 mg/m <sup>3</sup>	1050 mg/m <sup>3</sup> STEL	
Methylcyclohexane	TWA: 400 ppm	400 ppm TWA	-
108-87-2	TWA: 1610 mg/m <sup>3</sup>	1610 mg/m <sup>3</sup> TWA	
Hexane	TWA: 20 ppm	20 ppm TWA	TWA: 20 ppm
110-54-3	TWA: 72 mg/m <sup>3</sup>	72 mg/m <sup>3</sup> TWA	TWA: 72 mg/m <sup>3</sup>
Zinc oxide	TWA: 10 mg/m <sup>3</sup>	10 mg/m <sup>3</sup> TWA	-
1314-13-2	TWA: 3 mg/m <sup>3</sup>	5 mg/m³ TWA	
	STEL: 10 mg/m <sup>3</sup>	10 mg/m <sup>3</sup> STEL	

Chemical Name	ACGIH TLV	NIOSH IDLH	OSHA PEL
Acetone	STEL: 500 ppm	IDLH: 2500 ppm	TWA: 1000 ppm
67-64-1	TWA: 250 ppm	TWA: 250 ppm	TWA: 2400 mg/m <sup>3</sup>
		TWA: 590 mg/m <sup>3</sup>	
Toluene	TWA: 20 ppm	IDLH: 500 ppm	TWA: 200 ppm
108-88-3		TWA: 100 ppm	Ceiling: 300 ppm
		TWA: 375 mg/m <sup>3</sup>	
		STEL: 150 ppm	
		STEL: 560 mg/m <sup>3</sup>	
Cyclohexane	TWA: 100 ppm	IDLH: 1300 ppm	TWA: 300 ppm
110-82-7		TWA: 300 ppm	TWA: 1050 mg/m <sup>3</sup>
		TWA: 1050 mg/m <sup>3</sup>	_
Methylcyclohexane	TWA: 400 ppm	IDLH: 1200 ppm	TWA: 500 ppm
108-87-2		TWA: 400 ppm	TWA: 2000 mg/m <sup>3</sup>
		TWA: 1600 mg/m <sup>3</sup>	
Hexane	TWA: 50 ppm	IDLH: 1100 ppm	TWA: 500 ppm
110-54-3	S*	TWA: 50 ppm	TWA: 1800 mg/m <sup>3</sup>
		TWA: 180 mg/m <sup>3</sup>	-
Zinc oxide	STEL: 10 mg/m³ respirable	IDLH: 500 mg/m <sup>3</sup>	TWA: 5 mg/m³ fume
1314-13-2	particulate matter	Ceiling: 15 mg/m <sup>3</sup> dust	TWA: 15 mg/m³ total dust
	TWA: 2 mg/m <sup>3</sup> respirable	TWA: 5 mg/m <sup>3</sup> dust and fume	TWA: 5 mg/m³ respirable fraction
	particulate matter	STEL: 10 mg/m <sup>3</sup> fume	

Derived No Effect Level (DNEL) No information available

Predicted No Effect Concentration No information available

(PNEC)

OTHER INFORMATION No information available

8.2. Exposure controls

**Engineering Controls** Ensure adequate ventilation, especially in confined areas.

**PPE - Personal Protection Equipment** 

**Eye/Face Protection** Wear safety glasses with side shields (or goggles).

Skin and Body Protection Wear suitable protective clothing. No special technical protective measures are

necessary under normal conditions.

**BOSTIK 1181S SPRAYABLE RED** 

**General Hygiene** 

Considerations

**Revision Number 1.01** Supersedes Date: 16-Jun-2017

Wear suitable chemical resistant gloves. The selection of suitable gloves does not only **Hand Protection** 

depend on the material, but also on further marks of quality and various manufacturers. No protective equipment is needed under normal use conditions. Respiratory protection **Respiratory Protection** 

required in insufficiently ventilated working areas and during spraying. An air-fed mask,

Not applicable for liquids

Revision Date 27-May-2018

or for short periods of work, a combination of professional filter is recommended.

Do not eat, drink or smoke when using this product. Wash hands thoroughly after

handling. Avoid contact with skin, eyes or clothing. Take off contaminated clothing and

wash before reuse.

Environmental Exposure Controls Do not allow into any sewer, on the ground or into any body of water.

#### Section 9: PHYSICAL AND CHEMICAL PROPERTIES

#### 9.1. Information on basic physical and chemical properties

**Appearance** Viscosity Liquid Medium

Color

Aromatic Solvent Odor **Odor Threshold** No information available

Property Values Remarks • Method

рΗ No information available No information available Melting point / freezing point Boiling point / boiling range approx 50 °C / 122 °F

approx -22 °C / -7.6 °F **Flash Point** No information available **Evaporation Rate** Flammability (solid, gas) No information available

Flammability Limit in Air

**Upper flammability limit:** 9.3 Lower flammability limit: 1.4

No information available **Vapor Pressure Vapor Density** No information available **Relative Density** No information available

Water Solubility Partially soluble

Solubility in Other Solvents No information available No information available **Partition Coefficient** No information available **Autoignition Temperature Decomposition Temperature** No information available **Kinematic Viscosity** No information available **Dynamic Viscosity** No information available **Explosive Properties** No information available **Oxidizing Properties** No information available

9.2. Other information

No information available **Softening Point Molecular Weight** No information available Solvent content (%) No information available

Solid content (%) approx 22 **Density** 0.90 g/cm<sup>3</sup>

**Bulk Density** No information available

VOC > 300 g/L

## Section 10: STABILITY AND REACTIVITY

10.1. Reactivity

Stable under recommended storage conditions. Reactivity

10.2. Chemical stability

Stability Stable under recommended storage conditions

10.3. Possibility of hazardous reactions

Possibility of Hazardous Reactions None under normal processing.

**BOSTIK 1181S SPRAYABLE RED** 

Revision Number 1.01 Supersedes Date: 16-Jun-2017

Revision Date 27-May-2018

**Hazardous Polymerization** None under normal processing.

10.4. Conditions to avoid

**Conditions to avoid** Keep away from heat, sparks and flames. Protect from moisture.

10.5. Incompatible materials

Incompatible Materials Strong acids and bases.

10.6. Hazardous decomposition products

**Hazardous decomposition** 

products

Carbon oxides.

## Section 11: TOXICOLOGY INFORMATION

#### 11.1. Information on toxicological effects

#### **Acute Toxicity**

Product Information Product does not present an acute toxicity hazard based on known or supplied

information.

InhalationNo data available.Eye contactNo data available.Skin ContactNo data available.IngestionNo data available.

### Numerical measures of toxicity

#### **Unknown acute toxicity**

3.48807612 % of the mixture consists of ingredient(s) of unknown acute oral toxicity

17.47753612 % of the mixture consists of ingredient(s) of unknown acute dermal toxicity

50.64044612 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (gas)

55.35131612 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (vapor)

31.61014612 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (dust/mist)

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Acetone 67-64-1	= 5800 mg/kg (Rat)	>15800 mg/Kg (rat)	= 79 mg/l( Rat ) 4 h
Toluene 108-88-3	= 5580 mg/kg (Rat)	= 12000 mg/kg ( Rabbit )	> 20 mg/L (Rat) 4 h
Cyclohexane 110-82-7	= 12705 mg/kg (Rat)	> 2000 mg/kg (Rabbit)	> 9500 ppm (Rat) 4 h
Methylcyclohexane 108-87-2	> 3200 mg/kg (Rat)	>2920 mg/Kg bw (rat) 24 hour	>23 mg/l (vapour) (Rat- OECD 403)
Hexane 110-54-3	= 25 g/kg (Rat)	= 3000 mg/kg ( Rabbit )	= 48000 ppm (Rat) 4 h
Zinc oxide 1314-13-2	> 5000 mg/kg (Rat)	LD50 >2000 mg/Kg (Rat) (OECD 402)	LC50 (4h) >5.7 mg/l
Tall oil rosin 8052-10-6	= 7600 mg/kg (Rat)	-	-

## Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin Corrosion/Irritation
Serious Eye Damage/Eye Irritation
Sensitization
Germ Cell Mutagenicity
No information available.
No information available.
No information available.

Reproductive Toxicity Product is or contains a chemical which is a known or suspected reproductive hazard.

**STOT - Single Exposure**STOT - Repeated Exposure
No information available.
No information available.

Target Organ Effects Central nervous system, Eyes, Kidney, Liver, Peripheral Nervous System (PNS),

Respiratory system, Skin.

**BOSTIK 1181S SPRAYABLE RED** 

Revision Date 27-May-2018 **Revision Number** 1.01 Supersedes Date: 16-Jun-2017

**Aspiration hazard** No information available. Carcinogenicity No information available.

Chemical Name	IARC	China	Japan
Toluene	Group 3	-	-

IARC (International Agency for

Research on Cancer)

Group 3 - Not Classifiable as to Carcinogenicity in Humans

## Section 12: ECOLOGICAL INFORMATION

#### 12.1. Toxicity

#### **Ecotoxicity**

## **Product Information**

Toxic to aquatic life with long lasting effects.

## **Component Information**

Data obtained on the component(s) include

Algae/aquatic plants	Fish	Crustacea
-	LC50 96 h 4.74 - 6.33 mL/L	EC50 48 h 10294 - 17704 mg/L
	(Oncorhynchus mykiss)	(Daphnia magna Static)
EC50 72 h = $12.5 \text{ mg/L}$	LC50 96 h 5.89 - 7.81 mg/L	EC50 48 h 5.46 - 9.83 mg/L
(Pseudokirchneriella subcapitata)	(Oncorhynchus mykiss	(Daphnia magna Static) EC50 48 h
	<b>o</b> ,	= 11.5 mg/L (Daphnia magna )
	,	
		EC50 24 h > 400 mg/L (Daphnia
(Pseudokirchnerella subcapitata)		magna )
	o	
10 mg/l /Dogudakirahnarialla	,	2 mg/l /Danhais magna OFCD
• (	2.07 mg/i (Oryzias latipes )	3 mg/l (Daphnia magna - OECD 202)
Subcapitata - OECD 201)	LC50.06 h 2.1 2.09 mg/l	EC50 24 h > 1000 mg/L (Daphnia
-	· ·	
		magna )
LC 50 (72Hr) 0 136 mg/l	5 /	LC 50 (48Hr) =0.5 mg/l
LO 30 (72111) 0.130 Hig/L	` ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' '	(Ceriodaphnia dubia)
EC50.72 h 185 - 217 mg/l	/	EC50 48 h 238 - 479 mg/L
S .	3	(Daphnia magna )
	EC50 72 h = 12.5 mg/L	- LC50 96 h 4.74 - 6.33 mL/L (Oncorhynchus mykiss )  EC50 72 h = 12.5 mg/L (Pseudokirchneriella subcapitata)  (Pseudokirchneriella subcapitata)  EC50 72 h > 9.3 mg/L (Oncorhynchus mykiss flow-through) LC50 96 h = 5.8 mg/L (Oncorhynchus mykiss semi-static)  EC50 72 h > 9.3 mg/L (Pseudokirchnerella subcapitata)  (Pseudokirchnerella subcapitata)  (Pimephales promelas static) LC50 96 h 3.96 - 5.18 mg/L (Pimephales promelas flow-through) LC50 96 h 24.99 - 44.69 mg/L (Lepomis macrochirus static)  10 mg/l (Pseudokirchneriella subcapitata - OECD 201)  - LC50 96 h 2.1 - 2.98 mg/L (Pimephales promelas flow-through)  LC 50 (72Hr) 0.136 mg/L LC50 (96h) =0.7 mg/L Fish (Danio rerio)  EC50 72 h 185 - 217 mg/L LC50 96 h 100 - 200 mg/L

## 12.2. Persistence and degradability

No information available.

#### 12.3. Bioaccumulative potential

No information available.

## 12.4. Mobility in soil

No information available.

#### 12.5. Results of PBT and vPvB assessment

The components in this formulation do not meet the criteria for classification as PBT or vPvB.

## 12.6. Other adverse effects

No information available.

**Endocrine Disruptor** 

**BOSTIK 1181S SPRAYABLE RED** 

Revision Number 1.01 Supersedes Date: 16-Jun-2017

Revision Date 27-May-2018

Information

## Section 13: DISPOSAL CONSIDERATIONS

#### 13.1. Waste treatment methods

Waste from Residues/Unused Disposal should be in accordance with applicable regional, national and local laws and

**Products** regulations.

Contaminated Packaging Improper disposal or reuse of this container may be dangerous and illegal.

## Section 14: TRANSPORTATION INFORMATION

**IMDG** 

UN Number UN1133
Proper Shipping Name Adhesives

Transport hazard class(es) 3
Packing Group ||

EmS-No F-E, S-D Limited Quantity (LQ) 5 L

**Description** UN1133, Adhesives, 3, II, (-22°C c.c.)

**IATA** 

UN/ID No UN1133
Proper Shipping Name Adhesives

Transport hazard class(es)

Packing Group

ERG Code

Limited Quantity (LQ)

Special Provisions

3

Limited Quantity (LQ)

A3

**Description** UN1133, Adhesives, 3, II

<u>ADR</u>

UN/ID No UN1133

Proper Shipping Name Adhesives, Environmentally Hazardous

Transport hazard class(es) 3
Labels 3
Packing Group ||

**Description** UN1133, Adhesives, Environmentally Hazardous, 3, II, (D/E)

Environmental Hazard Yes
Limited Quantity (LQ) 5 L
Special Provisions 640C
Classification Code F1
Tunnel Restriction Code (D/E)

## Section 15: REGULATORY INFORMATION

## National Regulations

## Section 16: OTHER INFORMATION

Key or legend to abbreviations and acronyms used in the safety data sheet

No information available

**Key Literature References and Sources for Data** 

No information available

Prepared By Product Safety & Regulatory Affairs

Revision Date 27-May-2018

**BOSTIK 1181S SPRAYABLE RED** 

Revision Number 1.01 Supersedes Date: 16-Jun-2017

Revision Date 27-May-2018

Revision Note Not applicable.

Training Advice Provide adequate information, instruction, and training for operator

## Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**End of Safety Data Sheet**