

ASA DESIGNER GROUT 210 antique white
 Revision Number 3

Revision date 04-Aug-2019
 Supersedes Date: 04-Aug-2019

Section 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product Identifier

Product Name ASA DESIGNER GROUT 210 antique white
Pure substance/mixture Mixture

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use Grout.
Uses advised against No information available.

1.3. Details of the supplier of the safety data sheet

Company Name
 Bostik New Zealand Limited
 19 Eastern Hutt Road Wingate,
 Lower Hutt, New Zealand
 Tel: 04-567 5119
 Fax: 04-567 5412

Manufacturer
 Bostik Australia Pty Ltd
 51-71 High Street,
 Thomastown Victoria
 Australia
 Tel: 613 9279-9333
 Fax: 613 9279-9342

ABN: 79 003 893 838

1.4. Emergency telephone number

Emergency Telephone 24 Hr: 0800 243 622
 +64 4 917 9888
 Poison Centre : 0800 764 766

E-mail address SDS.AP@Bostik.com

Section 2: HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

Skin corrosion/irritation	Category 2 (6.3A)
Serious eye damage/eye irritation	Category 1 (8.3A)
Specific target organ toxicity - Single exposure	Category 3 (f)
Specific target organ toxicity - Repeated exposure	Category 2 (6.9B)

2.2. Label Elements



Signal word

Danger

Hazard statements

H318 - Causes serious eye damage
 H315 - Causes skin irritation
 H335 - May cause respiratory irritation
 H373 - May cause damage to organs through prolonged or repeated exposure

Prevention

SAFETY DATA SHEET

ASA DESIGNER GROUT 210 antique white
Revision Number 3

Revision date 04-Aug-2019
Supersedes Date: 04-Aug-2019

P264 - Wash face, hands and any exposed skin thoroughly after handling
P280 - Wear protective gloves/protective clothing/eye protection/face protection
P260 - Do not breathe dust/fume/gas/mist/vapors/spray
P271 - Use only outdoors or in a well-ventilated area

Inhalation

P304 + P340 - IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing
P312 - Call a POISON CENTER or doctor/physician if you feel unwell

Skin

P302 + P352 - IF ON SKIN: Wash with plenty of soap and water
P332 + P313 - If skin irritation occurs: Get medical advice/attention
P362 - Take off contaminated clothing and wash before reuse

Eyes

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
P310 - Immediately call a POISON CENTER or doctor/physician

Storage

P403 + P233 - Store in a well-ventilated place. Keep container tightly closed
P405 - Store locked up

Disposal

P501 - Dispose of contents/ container to an approved waste disposal plant

2.3. Other Hazards

Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substances

Mixture

3.2 Mixtures

Chemical name	CAS No.	Weight-%
Cement, portland, chemicals (Chromium VI reduced)	65997-15-1	20- <40
Quartz (fine fraction)	14808-60-7	1 - <3
Calcium formate	544-17-2	0.1- <1
Sulfuric acid, aluminum salt (3:2)	10043-01-3	0.1- <1
Calcium hydroxide	1305-62-0	0.1- <1

*** Any remaining ingredients are not hazardous

Section 4: FIRST AID MEASURES

4.1. Description of first aid measures

Inhalation	Remove to fresh air. If symptoms persist, call a physician.
Skin contact	Brush off loose particles from skin. Wash off immediately with plenty of water for at least 15 minutes. If skin irritation persists, call a physician.
Eye contact	In case of eye contact, remove contact lens and rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If symptoms persist, call a physician.
Ingestion	Do NOT induce vomiting. If swallowed, seek medical advice immediately and show this container or label. Rinse mouth.
Self-protection of the first aider	Use personal protective equipment as required

4.2. Most important symptoms and effects, both acute and delayed

Symptoms None known.

4.3. Indication of any immediate medical attention and special treatment needed

SAFETY DATA SHEET

ASA DESIGNER GROUT 210 antique white
Revision Number 3

Revision date 04-Aug-2019
Supersedes Date: 04-Aug-2019

Note to physicians Treat symptomatically.

4.4. Reference to Other Sections

Reference to other sections Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION. Section 11: TOXICOLOGY INFORMATION.

Section 5: FIRE-FIGHTING MEASURES

5.1. Extinguishing media

Suitable extinguishing media Use extinguishing agent suitable for type of surrounding fire.

Unsuitable extinguishing media No information available.

5.2. Special hazards arising from the substance or mixture

Specific hazards arising from the chemical Thermal decomposition can lead to release of irritating and toxic gases and vapors.

Hazardous combustion products Carbon oxides.

5.3. Advice for firefighters

Special protective equipment for fire-fighters Wear self-contained breathing apparatus and protective suit.

Section 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions Avoid creating dust. Do not get in eyes, on skin, or on clothing. Wear protective gloves/protective clothing and eye/face protection.

For emergency responders Sweep up to prevent slipping hazard.

6.2. Environmental precautions

Environmental precautions See Section 12 for additional Ecological Information.

6.3. Methods and material for containment and cleaning up

Methods for containment Prevent dust cloud. Take up mechanically, placing in appropriate containers for disposal. Protect from moisture.

Methods for cleaning up Avoid creating dust. Sweep up and shovel into suitable containers for disposal.

6.4. Reference to other sections

Reference to other sections Section 7: HANDLING AND STORAGE
Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION
Section 13: DISPOSAL CONSIDERATIONS

Section 7: HANDLING AND STORAGE

7.1. Precautions for safe handling

Advice on safe handling Handle in accordance with good industrial hygiene and safety practice. Avoid generation of dust. Avoid contact with skin and eyes. Wash contaminated clothing before reuse.

7.2. Conditions for safe storage, including any incompatibilities

SAFETY DATA SHEET

ASA DESIGNER GROUT 210 antique white
Revision Number 3

Revision date 04-Aug-2019
Supersedes Date: 04-Aug-2019

General hygiene considerations Handle in accordance with good industrial hygiene and safety practice.

Storage Conditions Keep out of the reach of children. Protect from direct contact with water or excessive moisture. Keep the packing dry and well sealed to prevent contamination and absorption of humidity. Protect from moisture.

Incompatible materials No information available

7.3. Specific end use(s)

Other information No information available.

7.4. References to Other Sections

Reference to other sections Section 13: DISPOSAL CONSIDERATIONS. Section 10: STABILITY AND REACTIVITY.

Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

Exposure Limits

Chemical name	New Zealand	Australia	European Union
Cement, portland, chemicals (Chromium VI reduced) 65997-15-1	TWA: 3 mg/m ³ TWA: 1 mg/m ³	10 mg/m ³ TWA	-
Quartz (fine fraction) 14808-60-7	TWA: 0.1 mg/m ³	0.1 mg/m ³ TWA	TWA: 0.1 mg/m ³
Sulfuric acid, aluminum salt (3:2) 10043-01-3	TWA: 5 mg/m ³	2 mg/m ³ TWA	-
Calcium hydroxide 1305-62-0	TWA: 5 mg/m ³	5 mg/m ³ TWA	TWA: 5 mg/m ³

Chemical name	ACGIH TLV	NIOSH IDLH	OSHA PEL
Cement, portland, chemicals (Chromium VI reduced) 65997-15-1	TWA: 1 mg/m ³ particulate matter containing no asbestos and <1% crystalline silica, respirable particulate matter	IDLH: 5000 mg/m ³ TWA: 10 mg/m ³ total dust TWA: 5 mg/m ³ respirable dust	TWA: 15 mg/m ³ total dust TWA: 5 mg/m ³ respirable fraction TWA: 50 mppcf <1% Crystalline silica
Quartz (fine fraction) 14808-60-7	TWA: 0.025 mg/m ³ respirable particulate matter	IDLH: 50 mg/m ³ respirable dust TWA: 0.05 mg/m ³ respirable dust	TWA: 50 µg/m ³ TWA: 50 µg/m ³ excludes construction work, agricultural operations, and exposures that result from the processing of sorptive clays : (250)/(%SiO ₂ + 5) mppcf TWA respirable fraction : (10)/(%SiO ₂ + 2) mg/m ³ TWA respirable fraction
Sulfuric acid, aluminum salt (3:2) 10043-01-3	No data available	TWA: 2 mg/m ³ Al	-
Calcium hydroxide 1305-62-0	TWA: 5 mg/m ³	TWA: 5 mg/m ³	TWA: 15 mg/m ³ total dust TWA: 5 mg/m ³ respirable fraction

Derived No Effect Level (DNEL) No information available

Predicted No Effect Concentration (PNEC) No information available

OTHER INFORMATION No information available

8.2. Exposure controls

Engineering controls Ensure adequate ventilation, especially in confined areas.

SAFETY DATA SHEET

ASA DESIGNER GROUT 210 antique white
Revision Number 3

Revision date 04-Aug-2019
Supersedes Date: 04-Aug-2019

PPE - Personal Protection Equipment

Eye/face protection	Wear safety glasses with side shields (or goggles).
Skin and body protection	Wear suitable protective clothing. No special technical protective measures are necessary under normal conditions.
Hand protection	Wear suitable chemical resistant gloves. The selection of suitable gloves does not only depend on the material, but also on further marks of quality and various manufacturers.
Respiratory protection	No protective equipment is needed under normal use conditions. Respiratory protection required in insufficiently ventilated working areas and during spraying. An air-fed mask, or for short periods of work, a combination of professional filter is recommended.
General hygiene considerations	Do not eat, drink or smoke when using this product. Wash hands thoroughly after handling. Avoid contact with skin, eyes or clothing. Take off contaminated clothing and wash before reuse.

Environmental exposure controls No information available.

Section 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Appearance	Powder
Color	Off-white
Odor	None
Odor threshold	No information available

Property	Values	Remarks • Method
pH	No data available	
Melting point / freezing point	No data available	
Boiling point / boiling range	No data available	
Flash point	No data available	
Evaporation rate	No data available	
Flammability (solid, gas)	No data available	
Flammability Limit in Air		
Upper flammability or explosive limits	No data available	
Lower flammability or explosive limits	No data available	
Vapor pressure	No data available	
Vapor density	No data available	
Relative density	No data available	
Water solubility	Cement based products react and solidify in contact with water	
Solubility(ies)	No data available	
Partition coefficient	No data available	
Autoignition temperature	No data available	
Decomposition temperature	No data available	
Kinematic viscosity	No data available	
Dynamic viscosity	No data available	
Explosive properties	No information available	
Oxidizing properties	No information available	

9.2. Other information

Softening Point	No information available
Molecular weight	No information available
Solvent content (%)	No information available
Solid content (%)	100
Density	No information available
Bulk density	1.15
VOC Content (%)	No information available

Section 10: STABILITY AND REACTIVITY

10.1. Reactivity

SAFETY DATA SHEET

ASA DESIGNER GROUT 210 antique white
Revision Number 3

Revision date 04-Aug-2019
Supersedes Date: 04-Aug-2019

Reactivity None under normal use conditions.

10.2. Chemical stability

10.3. Possibility of hazardous reactions

Possibility of hazardous reactions None under normal processing.

Hazardous polymerization None under normal processing.

10.4. Conditions to avoid

Conditions to avoid Protect from moisture.

10.5. Incompatible materials

Incompatible materials No information available.

10.6. Hazardous decomposition products

Hazardous decomposition products None under normal use conditions.

Section 11: TOXICOLOGY INFORMATION

11.1. Information on toxicological effects

Acute Toxicity

Product Information Product does not present an acute toxicity hazard based on known or supplied information.

Inhalation No data available.
Eye contact No data available.
Skin contact No data available.
Ingestion No data available.

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Quartz (fine fraction) 14808-60-7	>2000 mg/kg (Rat)	-	-
Calcium formate 544-17-2	= 2650 mg/kg (Rat)	LD50 > 2000 mg/kg (rat) OECD 402	-
Sulfuric acid, aluminum salt (3:2) 10043-01-3	>2000 mg/kg (Rat)	-	-
Calcium hydroxide 1305-62-0	= 7340 mg/kg (Rat)	-	-

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation No information available.
Serious eye damage/eye irritation No information available.
Sensitization No information available.
Germ cell mutagenicity No information available.
Reproductive toxicity No information available.
STOT - single exposure No information available.
STOT - repeated exposure No information available.
Target organ effects Eyes, Lungs, retina, Skin.
Aspiration hazard No information available.
Carcinogenicity No information available.

Chemical name	IARC	China	Japan
Quartz (fine fraction)	Group 1	Carcinogenic to humans	Group 1

IARC (International Agency for *Group 1 - Carcinogenic to Humans*)

SAFETY DATA SHEET

ASA DESIGNER GROUT 210 antique white
Revision Number 3

Revision date 04-Aug-2019
Supersedes Date: 04-Aug-2019

Research on Cancer)

Section 12: ECOLOGICAL INFORMATION

12.1. Toxicity

Ecotoxicity

Product Information
None known.

Component Information

Data obtained on the component(s) include

Chemical name	Algae/aquatic plants	Fish	Crustacea
Calcium formate 544-17-2	RC50 (72h) > 1000 mg/l (Pseudokirchnerella subcapitata)	LC50: >=1000mg/L (96h, Brachydanio rerio)	EC50 (48h) > 1000 mg/l (Daphnia magna) EPA-660/3-75-009
Sulfuric acid, aluminum salt (3:2) 10043-01-3	-	LC50 96 h = 100 mg/L (Carassius auratus)	EC50: =136mg/L (15min, Daphnia magna)
Calcium hydroxide 1305-62-0	-	LC50: =160mg/L (96h, Gambusia affinis)	-

12.2. Persistence and degradability

No information available.

12.3. Bioaccumulative potential

No information available.

12.4. Mobility in soil

No information available.

12.5. Results of PBT and vPvB assessment

The components in this formulation do not meet the criteria for classification as PBT or vPvB.

Chemical name	PBT and vPvB assessment
Calcium formate 544-17-2	The substance is not PBT / vPvB
Sulfuric acid, aluminum salt (3:2) 10043-01-3	The substance is not PBT / vPvB PBT assessment does not apply
Calcium hydroxide 1305-62-0	The substance is not PBT / vPvB PBT assessment does not apply

12.6. Other adverse effects

No information available.

Section 13: DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

Waste from residues/unused products

Disposal should be in accordance with applicable regional, national and local laws and regulations.

Contaminated packaging

Disposal should be in accordance with applicable regional, national and local laws and regulations.

SAFETY DATA SHEET

ASA DESIGNER GROUT 210 antique white
Revision Number 3

Revision date 04-Aug-2019
Supersedes Date: 04-Aug-2019

Section 14: TRANSPORT INFORMATION

IMDG Not regulated
IATA Not regulated
ADR Not regulated

Section 15: REGULATORY INFORMATION

National Regulations

ERMA Group HSR002544

Section 16: OTHER INFORMATION

Key or legend to abbreviations and acronyms used in the safety data sheet
No information available

Key Literature References and Sources for Data
No information available

Prepared By Product Safety & Regulatory Affairs

Revision date 04-Aug-2019

Revision note Not applicable.

Training Advice No information available

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet