

Revision date 04-Aug-2019

Supersedes Date: 28-Jun-2017

ASA DESIGNER GROUT 520 coffee

Revision Number 1.01

Section 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product Identifier

ASA DESIGNER GROUT 520 coffee **Product Name**

Pure substance/mixture Mixture

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use Grout

Uses advised against No information available.

1.3. Details of the supplier of the safety data sheet

Company Name

Bostik New Zealand Limited 19 Eastern Hutt Road Wingate, Lower Hutt, New Zealand

Tel: 04-567 5119

Fax: 04-567 5412

Manufacturer

Bostik Australia Pty Ltd 51-71 High Street, Thomastown Victoria

Australia

Tel: 613 9279-9333 Fax: 613 9279-9342

ABN: 79 003 893 838

1.4. Emergency telephone number

24 Hr: 0800 243 622 **Emergency Telephone**

+64 4 917 9888

Poison Centre: 0800 764 766

E-mail address SDS.AP@Bostik.com

Section 2: HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

Skin corrosion/irritation	Category 2 (6.3A)
Serious eye damage/eye irritation	Category 1 (8.3A)
Specific target organ toxicity - Single exposure	Category 3 (f)
Specific target organ toxicity - Repeated exposure	Category 2 (6.9B)

2.2. Label Elements



Signal word Danger

Hazard statements

H318 - Causes serious eye damage

H315 - Causes skin irritation

H335 - May cause respiratory irritation

H373 - May cause damage to organs through prolonged or repeated exposure

Prevention

ASA DESIGNER GROUT 520 coffee

Revision Number 1.01 Supersedes Date: 28-Jun-2017

Revision date 04-Aug-2019

P264 - Wash face, hands and any exposed skin thoroughly after handling

P280 - Wear protective gloves/protective clothing/eye protection/face protection

P260 - Do not breathe dust/fume/gas/mist/vapors/spray

P271 - Use only outdoors or in a well-ventilated area

Inhalation

P304 + P340 - IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

P312 - Call a POISON CENTER or doctor/physician if you feel unwell

Skin

P302 + P352 - IF ON SKIN: Wash with plenty of soap and water

P332 + P313 - If skin irritation occurs: Get medical advice/attention

P362 - Take off contaminated clothing and wash before reuse

Eyes

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

P310 - Immediately call a POISON CENTER or doctor/physician

Storage

P403 + P233 - Store in a well-ventilated place. Keep container tightly closed

P405 - Store locked up

Disposal

P501 - Dispose of contents/ container to an approved waste disposal plant

2.3. Other Hazards

Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substances

Mixture

3.2 Mixtures

Chemical name	CAS No.	Weight-%
Cement, portland, chemicals (Chromium VI	65997-15-1	20- <40
reduced)		
Quartz (fine fraction)	14808-60-7	1 - <3
Calcium formate	544-17-2	0.1- <1
Calcium hydroxide	1305-62-0	0.1- <1
Sulfuric acid, aluminum salt (3:2)	10043-01-3	0.1- <1

^{***} Any remaining ingredients are not hazardous

Section 4: FIRST AID MEASURES

4.1. Description of first aid measures

Inhalation Remove to fresh air. If symptoms persist, call a physician.

Skin contact Brush off loose particles from skin. Wash off immediately with plenty of water for at least

15 minutes. If skin irritation persists, call a physician.

Eye contact In case of eye contact, remove contact lens and rinse immediately with plenty of water,

also under the eyelids, for at least 15 minutes. If symptoms persist, call a physician.

Ingestion Do NOT induce vomiting. If swallowed, seek medical advice immediately and show this

container or label. Rinse mouth.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms None known.

4.3. Indication of any immediate medical attention and special treatment needed

ASA DESIGNER GROUT 520 coffee

Revision Number 1.01 Supersedes Date: 28-Jun-2017

4.4. Reference to Other Sections

Reference to other sections Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION. Section 11:

TOXICOLOGY INFORMATION.

Section 5: FIRE-FIGHTING MEASURES

5.1. Extinguishing media

Suitable extinguishing mediaUse extinguishing agent suitable for type of surrounding fire.

Unsuitable extinguishing media No information available.

5.2. Special hazards arising from the substance or mixture

Specific hazards arising from the T

chemical

Thermal decomposition can lead to release of irritating and toxic gases and vapors.

Revision date 04-Aug-2019

Hazardous combustion

products

Carbon oxides.

5.3. Advice for firefighters

Special protective equipment for

fire-fighters

Wear self-contained breathing apparatus and protective suit.

Section 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions Avoid creating dust. Do not get in eyes, on skin, or on clothing. Wear protective

gloves/protective clothing and eye/face protection.

For emergency responders Sweep up to prevent slipping hazard.

6.2. Environmental precautions

Environmental precautions See Section 12 for additional Ecological Information.

6.3. Methods and material for containment and cleaning up

Methods for containment Prevent dust cloud. Take up mechanically, placing in appropriate containers for disposal.

Protect from moisture.

Methods for cleaning upAvoid creating dust. Sweep up and shovel into suitable containers for disposal.

6.4. Reference to other sections

Reference to other sections Section 7: HANDLING AND STORAGE

Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Section 13: DISPOSAL CONSIDERATIONS

Section 7: HANDLING AND STORAGE

7.1. Precautions for safe handling

Advice on safe handling Handle in accordance with good industrial hygiene and safety practice. Avoid generation

of dust. Avoid contact with skin and eyes. Wash contaminated clothing before reuse.

7.2. Conditions for safe storage, including any incompatibilities

ASA DESIGNER GROUT 520 coffee

Revision Number 1.01 Supersedes Date: 28-Jun-2017

<u>-</u>

General hygiene considerations Handle in accordance with good industrial hygiene and safety practice.

Storage Conditions Keep out of the reach of children. Protect from direct contact with water or excessive

moisture. Keep the packing dry and well sealed to prevent contamination and absorption

Revision date 04-Aug-2019

of humidity. Protect from moisture.

Incompatible materials No information available

7.3. Specific end use(s)

Other information No information available.

7.4. References to Other Sections

Reference to other sections Section 13: DISPOSAL CONSIDERATIONS. Section 10: STABILITY AND REACTIVITY.

Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

Exposure Limits

Chemical name	New Zealand	Australia	European Union
Cement, portland, chemicals (Chromium VI reduced) 65997-15-1	TWA: 3 mg/m³ TWA: 1 mg/m³	10 mg/m³ TWA	-
Quartz (fine fraction) 14808-60-7	TWA: 0.1 mg/m ³	0.1 mg/m³ TWA	TWA: 0.1 mg/m ³
Calcium hydroxide 1305-62-0	TWA: 5 mg/m ³	5 mg/m³ TWA	TWA: 5 mg/m ³
Sulfuric acid, aluminum salt (3:2) 10043-01-3	TWA: 5 mg/m ³	2 mg/m³ TWA	-

Chemical name	ACGIH TLV	NIOSH IDLH	OSHA PEL
Cement, portland, chemicals (Chromium VI reduced) 65997-15-1 Quartz (fine fraction) 14808-60-7	TWA: 1 mg/m³ particulate matter containing no asbestos and <1% crystalline silica, respirable particulate matter TWA: 0.025 mg/m³ respirable particulate matter	IDLH: 5000 mg/m³ TWA: 10 mg/m³ total dust TWA: 5 mg/m³ respirable dust IDLH: 50 mg/m³ respirable dust TWA: 0.05 mg/m³ respirable dust	TWA: 15 mg/m³ total dust TWA: 5 mg/m³ respirable fraction TWA: 50 mppcf <1% Crystalline silica TWA: 50 μg/m³ TWA: 50 μg/m³ excludes construction work, agricultural operations, and exposures that result from the processing of sorptive clays : (250)/(%SiO2 + 5) mppcf TWA respirable fraction : (10)/(%SiO2 + 2) mg/m³ TWA respirable fraction
Calcium hydroxide 1305-62-0	TWA: 5 mg/m ³	TWA: 5 mg/m ³	TWA: 15 mg/m³ total dust TWA: 5 mg/m³ respirable fraction
Sulfuric acid, aluminum salt (3:2) 10043-01-3	No data available	TWA: 2 mg/m³ Al	-

Derived No Effect Level (DNEL) No information available

Predicted No Effect Concentration No information available

(PNEC)

OTHER INFORMATION No information available

8.2. Exposure controls

Engineering controls Ensure adequate ventilation, especially in confined areas.

ASA DESIGNER GROUT 520 coffee

Revision Number 1.01 Supersedes Date: 28-Jun-2017

PPE - Personal Protection Equipment

Respiratory protection

Eye/face protection Wear safety glasses with side shields (or goggles).

Skin and body protection Wear suitable protective clothing. No special technical protective measures are

necessary under normal conditions.

Hand protection Wear suitable chemical resistant gloves. The selection of suitable gloves does not only

depend on the material, but also on further marks of quality and various manufacturers. No protective equipment is needed under normal use conditions. Respiratory protection required in insufficiently ventilated working areas and during spraying. An air-fed mask,

Revision date 04-Aug-2019

or for short periods of work, a combination of professional filter is recommended. **General hygiene considerations**Do not eat, drink or smoke when using this product. Wash hands thoroughly after

handling. Avoid contact with skin, eyes or clothing. Take off contaminated clothing and

wash before reuse.

Environmental exposure controls No information available.

Section 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Appearance Powder
Color light brown
Odor None

Odor threshold No information available

Property Values Remarks • Method

pH No data available
Melting point / freezing point
Boiling point / boiling range
Flash point
Evaporation rate
Flammability (solid, gas)
No data available
No data available
No data available
No data available

Flammability Limit in Air

Upper flammability or explosive No data available

limits

Lower flammability or explosive No data available

limits

Vapor pressureNo data availableVapor densityNo data availableRelative densityNo data available

Water solubility Cement based products react and

solidify in contact with water

Solubility(ies) No data available No data available **Partition coefficient Autoignition temperature** No data available **Decomposition temperature** No data available Kinematic viscosity No data available **Dynamic viscosity** No data available **Explosive properties** No information available No information available Oxidizing properties

9.2. Other information

Softening PointNo information availableMolecular weightNo information availableSolvent content (%)No information available

Solid content (%)

Density No information available

Bulk density 1.15

VOC Content (%) No information available

Section 10: STABILITY AND REACTIVITY

10.1. Reactivity

ASA DESIGNER GROUT 520 coffee

Revision Number 1.01 Supersedes Date: 28-Jun-2017

Revision date 04-Aug-2019

Reactivity None under normal use conditions.

10.2. Chemical stability

10.3. Possibility of hazardous reactions

Possibility of hazardous reactions None under normal processing.

Hazardous polymerizationNone under normal processing.

10.4. Conditions to avoid

Conditions to avoid Protect from moisture.

10.5. Incompatible materials

Incompatible materialsNo information available.

10.6. Hazardous decomposition products

Hazardous decomposition

products

None under normal use conditions.

Section 11: TOXICOLOGY INFORMATION

11.1. Information on toxicological effects

Acute Toxicity

Product Information Product does not present an acute toxicity hazard based on known or supplied

information.

InhalationNo data available.Eye contactNo data available.Skin contactNo data available.IngestionNo data available.

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Quartz (fine fraction)	>2000 mg/kg (Rat)	-	-
14808-60-7			
Calcium formate	= 2650 mg/kg (Rat)	LD50 > 2000 mg/kg (rat)	-
544-17-2		OECD 402	
Calcium hydroxide	= 7340 mg/kg (Rat)	-	-
1305-62-0			
Sulfuric acid, aluminum salt (3:2)	>2000 mg/kg (Rat)	-	-
10043-01-3			

Delayed and immediate effects as well as chronic effects from short and long-term exposure

No information available. Skin corrosion/irritation Serious eye damage/eye irritation No information available. No information available. Sensitization Germ cell mutagenicity No information available. Reproductive toxicity No information available. No information available. STOT - single exposure STOT - repeated exposure No information available. **Target organ effects** Eyes, Lungs, retina, Skin. No information available. **Aspiration hazard** No information available. Carcinogenicity

Chemical name	IARC	China	Japan
Quartz (fine fraction)	Group 1	Carcinogenic to humans	Group 1

ASA DESIGNER GROUT 520 coffee

Revision date 04-Aug-2019 **Revision Number** 1.01 Supersedes Date: 28-Jun-2017

Research on Cancer)

Section 12: ECOLOGICAL INFORMATION

12.1. Toxicity

Ecotoxicity

Product Information

None known.

Component Information

Data obtained on the component(s) include

Chemical name	Algae/aquatic plants	Fish	Crustacea
Calcium formate	RC50 (72h) > 1000 mg/l	LC50: >=1000mg/L (96h,	EC50 (48h) > 1000 mg/l (Daphnia
544-17-2	(Pseudokirchnerella subcapitata)	Brachydanio rerio)	magna)
			EPA-660/3-75-009
Calcium hydroxide	=	LC50: =160mg/L (96h, Gambusia	-
1305-62-0		affinis)	
Sulfuric acid, aluminum salt (3:2)	-	LC50 96 h = 100 mg/L (Carassius	EC50: =136mg/L (15min, Daphnia
10043-01-3		auratus)	magna)

12.2. Persistence and degradability

No information available.

12.3. Bioaccumulative potential

No information available.

12.4. Mobility in soil

No information available.

12.5. Results of PBT and vPvB assessment

The components in this formulation do not meet the criteria for classification as PBT or vPvB.

Chemical name	PBT and vPvB assessment
Calcium formate	The substance is not PBT / vPvB
544-17-2	
Calcium hydroxide	The substance is not PBT / vPvB PBT assessment does not
1305-62-0	apply
Sulfuric acid, aluminum salt (3:2)	The substance is not PBT / vPvB PBT assessment does not
10043-01-3	apply

12.6. Other adverse effects

No information available.

Section 13: DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

Waste from residues/unused products

Disposal should be in accordance with applicable regional, national and local laws and regulations.

Contaminated packaging

Disposal should be in accordance with applicable regional, national and local laws and regulations.

ASA DESIGNER GROUT 520 coffee

Revision Number 1.01 Supersedes Date: 28-Jun-2017

Revision date 04-Aug-2019

Section 14: TRANSPORT INFORMATION

IMDG Not regulated

IATA Not regulated

ADR Not regulated

Section 15: REGULATORY INFORMATION

National Regulations

ERMA Group HSR002544

Section 16: OTHER INFORMATION

Key or legend to abbreviations and acronyms used in the safety data sheet

No information available

Key Literature References and Sources for Data

No information available

Prepared By Product Safety & Regulatory Affairs

Revision date 04-Aug-2019

Revision note Not applicable.

Training Advice No information available

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet