

ASA DAMPFIX 3 LIQUID Revision Number 2 Revision Date 15-Jul-2018 Supersedes Date: 24-May-2018

# Section 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product Identifier

Product NameASA DAMPFIX 3 LIQUIDPure substance/mixtureMixture

## 1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use Uses advised against

Primers, Sealers, and Undercoaters. No information available.

### 1.3. Details of the supplier of the safety data sheet

#### Company Name

Bostik New Zealand Limited 19 Eastern Hutt Road Wingate, Lower Hutt, New Zealand Tel: 04-567 5119 Fax: 04-567 5412

## 1.4. Emergency telephone number

Emergency Telephone	24 Hr: 0800 243 622
	+64 4 917 9888
	Poison Centre : 0800 764 766

E-mail address

SDS.AP@Bostik.com

# Section 2: HAZARDS IDENTIFICATION

## 2.1. Classification of the substance or mixture

	Acute aquatic toxicity	Category 3 (9.1D)
--	------------------------	-------------------

ERMA Group

HSR002670

#### 2.2. Label Elements

Hazard statements H402 - Harmful to aquatic life

Precautionary Statements - Prevention P273 - Avoid release to the environment Precautionary Statements - Disposal P501 - Dispose of contents/ container to an approved waste disposal plant

2.3. Other Hazards

# Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substances

Not applicable

# 3.2 Mixtures

**Fire-fighters** 

Chemical Name	CAS No	Weight-%
2,2,4-Trimethylpentane-1,3-diol monoisobutyrate	25265-77-4	1 - <3

\*\*\* Any remaining ingredients are not hazardous

# Section 4: FIRST AID MEASURES

#### 4.1. Description of first aid measures

Inhalation	IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.			
Skin Contact	Wash off immediately with plenty of water for at least 15 minutes. In the case of skin irritation or allergic reactions see a physician.			
Eye contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Do not rub affected area. If eye irritation persists: Get medical advice/attention.			
Ingestion	Do not induce vomiting without medical advice. Never give anything by mouth to an unconscious person. If symptoms persist, call a physician.			
Self-Protection of the First Aider	Use personal protective equipment as required.			
4.2. Most important symptoms and	effects, both acute and delayed			
Symptoms	None known.			
4.3. Indication of any immediate medical attention and special treatment needed				
Note to physicians	Treat symptomatically.			
4.4. Reference to Other Sections				
Reference to other sections	Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION. Section 11: TOXICOLOGY INFORMATION.			
Section 5: FIRE-FIGHTING MEASURES				
5.1. Extinguishing media				
5.1. Extinguishing media_ Suitable Extinguishing Media	Water spray (fog). Carbon dioxide (CO2). Foam. Dry chemical. Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.			
	Water spray (fog). Carbon dioxide (CO2). Foam. Dry chemical. Use extinguishing			
Suitable Extinguishing Media	Water spray (fog). Carbon dioxide (CO2). Foam. Dry chemical. Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. No information available.			
Suitable Extinguishing Media Unsuitable Extinguishing Media 5.2. Special hazards arising from th	Water spray (fog). Carbon dioxide (CO2). Foam. Dry chemical. Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. No information available.			
Suitable Extinguishing Media Unsuitable Extinguishing Media 5.2. Special hazards arising from the Specific Hazards Arising from the	Water spray (fog). Carbon dioxide (CO2). Foam. Dry chemical. Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. No information available.			
Suitable Extinguishing Media Unsuitable Extinguishing Media 5.2. Special hazards arising from the Specific Hazards Arising from the Chemical Hazardous Combustion	Water spray (fog). Carbon dioxide (CO2). Foam. Dry chemical. Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. No information available. he substance or mixture Thermal decomposition can lead to release of irritating and toxic gases and vapors.			

# Section 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures			
Personal Precautions	Evacuate personnel to safe areas. Use personal protection recommended in Section 8.		
6.2. Environmental precautions			
Environmental Precautions	Keep people away from and upwind of spill/leak. See Section 12 for additional Ecological Information.		
6.3. Methods and material for cont	ainment and cleaning up		
Methods for Containment	Stop leak if you can do it without risk. Protect from moisture.		
Methods for cleaning up	Dam up. Soak up with inert absorbent material. Pick up and transfer to properly labeled containers. Clean contaminated surface thoroughly.		
6.4. Reference to other sections			
Reference to other sections	Section 7: HANDLING AND STORAGE Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION Section 13: DISPOSAL CONSIDERATIONS		

# Section 7: HANDLING AND STORAGE

# 7.1. Precautions for safe handling

Advice on safe handling	Avoid contact with skin, eyes or clothing. Wash hands thoroughly after handling. Handle in accordance with good industrial hygiene and safety practice. Do not reuse container.
7.2. Conditions for safe storage, in	ncluding any incompatibilities
General Hygiene Considerations	When using do not eat, drink or smoke. Wash contaminated clothing before reuse.
Storage Conditions	Keep from freezing. Keep containers tightly closed in a cool, well-ventilated place. Protect from moisture. Protect from direct contact with water or excessive moisture.
Incompatible Materials	No information available
7.3. Specific end use(s)	
Other Information	No information available.
7.4. References to Other Sections	-
Reference to other sections	Section 13: DISPOSAL CONSIDERATIONS. Section 10: STABILITY AND REACTIVITY.

# Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

## 8.1. Control parameters

# Exposure Limits

This product, as supplied, does not contain any hazardous materials with occupational exposure limits established by the region specific regulatory bodies

Derived No Effect Level (DNEL) No information available

Predicted No Effect Concentration No information available (PNEC)

**OTHER INFORMATION** 

No information available

#### ASA DAMPFIX 3 LIQUID Revision Number 2

#### 8.2. Exposure controls

**Engineering Controls** Use with local exhaust ventilation. Ensure adequate ventilation, especially in confined areas. Use explosion-proof ventilating equipment.

## **PPE - Personal Protection Equipment**

Eye/Face Protection Skin and Body Protection	Wear safety glasses with side shields (or goggles). Wear suitable protective clothing. No special technical protective measures are necessary under normal conditions.
Hand Protection	Wear suitable chemical resistant gloves. The selection of suitable gloves does not only depend on the material, but also on further marks of quality and various manufacturers.
Respiratory Protection	No protective equipment is needed under normal use conditions. Respiratory protection required in insufficiently ventilated working areas and during spraying. An air-fed mask, or for short periods of work, a combination of professional filter is recommended.
General Hygiene	Do not eat, drink or smoke when using this product. Wash hands thoroughly after
Considerations	handling. Avoid contact with skin, eyes or clothing. Take off contaminated clothing and wash before reuse.
Environmental Exposure Controls	Local authorities should be advised if significant spillages cannot be contained. Do not allow into any sewer, on the ground or into any body of water. Prevent product from entering drains.

# Section 9: PHYSICAL AND CHEMICAL PROPERTIES

# 9.1. Information on basic physical and chemical properties

Appearance Color Odor Odor Threshold	Viscosity Liquid Medium Thixotropic White Slight No information available	
<u>Property</u> pH Melting point / freezing point Boiling point / boiling range Flash Point	<u>Values</u> No information available No information available approx 100 °C / 212 °F Not applicable No information	<u>Remarks • Method</u>
Evaporation Rate Flammability (solid, gas) Flammability Limit in Air Upper flammability or explosive	available No information available No information available No information available	Not applicable for liquids Not applicable
limits Lower flammability or explosive limits Vapor Pressure Vapor Density	No information available No information available No information available	
Relative Density Water Solubility Solubility in Other Solvents Partition Coefficient	No information available Miscible in water No information available No information available	Net evelle still
Autoignition Temperature Decomposition Temperature Kinematic Viscosity Dynamic Viscosity Explosive Properties	No information available No information available No information available No information available No information available	Not applicable
Oxidizing Properties <u>9.2. Other information</u> Softening Point	No information available No information available No information available	
Molecular Weight Solvent content (%) Solid content (%) Density	No information available No information available approx 57.5 1.03 g/cm <sup>3</sup>	

ASA DAMPFIX 3 LIQUID Revision Number 2	Revision Date 15-Jul-2018 Supersedes Date: 24-May-2018
Bulk Density VOC	No information available 12 g/L
Section 10: STABILITY ANI	DREACTIVITY
10.1. Reactivity	
Reactivity	None under normal use conditions.
10.2. Chemical stability	
Stability	Stable under normal conditions
10.3. Possibility of hazardous rea	ctions
Possibility of Hazardous Reaction	ns None under normal processing.
Hazardous Polymerization	None known.
10.4. Conditions to avoid	
Conditions to avoid	Extremes of temperature and direct sunlight. Keep from freezing. Protect from moisture.
10.5. Incompatible materials	
Incompatible Materials	No information available.
10.6. Hazardous decomposition p	products
Hazardous decomposition products	Carbon monoxide. Carbon dioxide (CO2). Hydrocarbons.

# Section 11: TOXICOLOGY INFORMATION

#### 11.1. Information on toxicological effects

#### Acute Toxicity

Product Information	Product does not present an acute toxicity hazard based on known or supplied information.
Inhalation	No data available.
Eye contact	No data available.
Skin Contact	No data available.
Ingestion	No data available.

#### Numerical measures of toxicity

### Unknown acute toxicity

- 0 % of the mixture consists of ingredient(s) of unknown acute oral toxicity
- 0 % of the mixture consists of ingredient(s) of unknown acute dermal toxicity
- 3.26535 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (gas)
- 3.26535 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (vapor)

3.26535 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (dust/mist)

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
2,2,4-Trimethylpentane-1,3-diol monoisobutyrate 25265-77-4	= 6500 mg/kg (Rat)	> 15200 mg/kg (Rat)	> 3.55 mg/L (Rat)6 h

### Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin Corrosion/IrritationNo information available.Serious Eye Damage/Eye IrritationNo information available.SensitizationNo information available.

#### ASA DAMPFIX 3 LIQUID Revision Number 2

Germ Cell Mutagenicity Reproductive Toxicity STOT - Single Exposure STOT - Repeated Exposure Target Organ Effects Aspiration hazard Carcinogenicity No information available. No information available.

IARC (International Agency for Research on Cancer)

Group 3 - Not Classifiable as to Carcinogenicity in Humans

# Section 12: ECOLOGICAL INFORMATION

## 12.1. Toxicity

## Ecotoxicity

### Product Information

Toxic to aquatic life with long lasting effects. Harmful to aquatic life.

#### Component Information

Data obtained on the component(s) include

Chemical Name	Algae/aquatic plants	Fish	Crustacea
2,2,4-Trimethylpentane-1,3-diol	EC50 72 h = 18.4 mg/L	LC50 96 h = 30 mg/L (Pimephales	EC50 (48hr)=164.7 mg/L (daphnia
monoisobutyrate	(Pseudokirchneriella subcapitata)	promelas )	magna)
25265-77-4			

### 12.2. Persistence and degradability

No information available.

#### 12.3. Bioaccumulative potential

No information available.

#### 12.4. Mobility in soil

No information available.

#### 12.5. Results of PBT and vPvB assessment

The components in this formulation do not meet the criteria for classification as PBT or vPvB.

#### 12.6. Other adverse effects

No information available.

# Section 13: DISPOSAL CONSIDERATIONS

## 13.1. Waste treatment methods

Waste from Residues/Unused Products	Disposal should be in accordance with applicable regional, national and local laws and regulations.
Contaminated Packaging	Disposal should be in accordance with applicable regional, national and local laws and regulations.

# Section 14: TRANSPORTATION INFORMATION

IMDG	Not regulated
	Not regulated

IATA Not regulated

Revision Date 15-Jul-2018 Supersedes Date: 24-May-2018

ASA DAMPFIX 3 LIQUID Revision Number 2

<u>ADR</u>

Not regulated

# Section 15: REGULATORY INFORMATION

## National Regulations

# Section 16: OTHER INFORMATION

Key or legend to abbreviations and acronyms used in the safety data sheet No information available

Key Literature References and Sources for Data No information available

Prepared By	Product Safety & Regulatory Affairs
Revision Date	15-Jul-2018
Revision Note	Not applicable.
Training Advice	No information available

#### Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

## End of Safety Data Sheet