

PANELTACK HM BLACK Revision Number 3

Revision date 16-Jul-2019 Supersedes Date: 03-Aug-2017

Section 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product Identifier

Product Name PANELTACK HM BLACK

Pure substance/mixture Mixture

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended useAdhesives and/or sealants. **Uses advised against**No information available.

1.3. Details of the supplier of the safety data sheet

 Company Name
 Manufacturer

 Bostik New Zealand Limited
 Bostik SA

19 Eastern Hutt Road Wingate, 420 rue d'Estienne d'Orves

Lower Hutt, New Zealand 92700 Colombes

Tel: 04-567 5119 FRANCE

Fax: 04-567 5412 Tel: +33 (0)1 49 00 90 00

1.4. Emergency telephone number

Emergency Telephone 24 Hr: 0800 243 622

+64 4 917 9888

Poison Centre: 0800 764 766

E-mail address SDS.AP@Bostik.com

Section 2: HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

Not a hazardous substance or mixture according to the Globally Harmonized System (GHS)

2.2. Label Elements

Not a hazardous substance or mixture according to the Globally Harmonized System (GHS)

Signal word None

Prevention

P264 - Wash hands thoroughly after handling

P281 - Use personal protective equipment as required

Response

P314 - Get medical advice/attention if you feel unwell

Skin

P303 + P361 + P353 - IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower

Eyes

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

2.3. Other Hazards

Small amounts of methanol (CAS 67-56-1) are formed by hydrolysis and released upon curing

PANELTACK HM BLACK
Revision Number 3
Revision Number 3
Revision date 16-Jul-2019
Supersedes Date: 03-Aug-2017

Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substances

Not applicable

3.2 Mixtures

Not a hazardous substance or mixture according to the Globally Harmonized System (GHS)

Chemical name	CAS No.	Weight-%
Silane, ethenyltrimethoxy-	2768-02-7	1 - <3
1-Propanamine, 3-(trimethoxysilyl)-	13822-56-5	1 - <3
Carbon black	1333-86-4	1 - <3
Bis(2.2.6.6-tetramethyl-4-piperidyl) sebacate	52829-07-9	0.1- <1

^{***} Any remaining ingredients are not hazardous

Section 4: FIRST AID MEASURES

4.1. Description of first aid measures

General advice Remove contaminated clothing and shoes. If medical advice is needed, have product

container or label at hand.

Inhalation Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get

medical attention if symptoms occur.

Skin contact Wash off immediately with soap and plenty of water. In the case of skin irritation or

allergic reactions see a physician.

Eye contact Immediately flush with plenty of water. After initial flushing, remove any contact lenses

and continue flushing for at least 15 minutes. Hold eyelids apart and consult an

physician.

Ingestion If swallowed, rinse mouth with water (only if the person is conscious). If swallowed, do

not induce vomiting: seek medical advice immediately and show this container or label.

Self-protection of the first aider First aider: Pay attention to self-protection!

4.2. Most important symptoms and effects, both acute and delayed

Symptoms None known.

4.3. Indication of any immediate medical attention and special treatment needed

Note to physicians Small amounts of methanol (CAS 67-56-1) are formed by hydrolysis and released upon

curing.

4.4. Reference to Other Sections

Reference to other sections Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION. Section 11:

TOXICOLOGY INFORMATION.

Section 5: FIRE-FIGHTING MEASURES

5.1. Extinguishing media

Suitable extinguishing media Carbon dioxide (CO2). Extinguishing powder. Water spray or fog. Alcohol resistant foam.

Large fire When a large quantity of this material is involved in a major fire, consider an initial

evacuation distance of 300 meters (1000 feet) in all directions.

Unsuitable extinguishing media No information available.

PANELTACK HM BLACK Revision Number 3

·

5.2. Special hazards arising from the substance or mixture

Specific hazards arising from the

chemical

Thermal decomposition can lead to release of toxic/corrosive gases and vapors. Carbon monoxide. Carbon dioxide (CO2). Halogenated hydrocarbons. Nitrogen oxides (NOx).

Revision date 16-Jul-2019

Supersedes Date: 03-Aug-2017

Hazardous combustion products

Carbon monoxide. Carbon dioxide (CO2).

5.3. Advice for firefighters

Special protective equipment for

Wear self-contained breathing apparatus and protective suit.

fire-fighters

Section 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions Use personal protection equipment. Avoid contact with skin, eyes or clothing. Do not

touch or walk through spilled material.

6.2. Environmental precautions

Environmental precautions Prevent entry into waterways, sewers, basements or confined areas. Do not allow to

enter into soil/subsoil.

6.3. Methods and material for containment and cleaning up

Methods for containment Contain and collect spillage with non-combustible absorbent material, (e.g. sand, earth,

diatomaceous earth, vermiculite) and place in container for disposal according to local /

national regulations (see Section 13).

Methods for cleaning up

Use personal protective equipment as required. Dam up. Cover liquid spill with sand,

earth or other non-combustible absorbent material. Take up mechanically, placing in

appropriate containers for disposal. Clean contaminated surface thoroughly.

6.4. Reference to other sections

Reference to other sections Section 7: HANDLING AND STORAGE

Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Section 13: DISPOSAL CONSIDERATIONS

Section 7: HANDLING AND STORAGE

7.1. Precautions for safe handling

Fire prevention measures. No special measures are necessary.

7.2. Conditions for safe storage, including any incompatibilities

General hygiene considerations Handle in accordance with good industrial hygiene and safety practice. Do not eat, drink

or smoke when using this product. Avoid contact with skin, eyes or clothing. Wash hands thoroughly after handling. Take off contaminated clothing and wash before reuse.

Storage Conditions Keep away from food, drink and animal feeding stuffs. Protect from moisture. Keep/store

only in original container. Protect from sunlight. Store in a well-ventilated place. Keep at temperatures between 41 and 95 °F. Keep container tightly closed and dry. Product

cures with moisture.

Incompatible materials Water

7.3. Specific end use(s)

PANELTACK HM BLACK
Revision Number 3
Revision Number 3
Revision Number 3
Revision Number 3
Supersedes Date: 03-Aug-2017

Specific Use(s) Adhesives and/or sealants. Sealant.

Other information No information available.

7.4. References to Other Sections

Reference to other sections Section 13: DISPOSAL CONSIDERATIONS. Section 10: STABILITY AND REACTIVITY.

Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

Exposure Limits

Chemical name	New Zealand	Australia	European Union
Carbon black	TWA: 3 mg/m ³	3 mg/m³ TWA	-
1333-86-4	_		

Chemical name	ACGIH TLV	NIOSH IDLH	OSHA PEL
Carbon black	TWA: 3 mg/m ³ inhalable	IDLH: 1750 mg/m ³	TWA: 3.5 mg/m ³
1333-86-4	particulate matter	TWA: 3.5 mg/m ³	
		TWA: 0.1 mg/m ³ Carbon black in	
		presence of Polycyclic aromatic	
		hydrocarbons PAH	

Derived No Effect Level (DNEL) No information available

Predicted No Effect Concentration No information available

(PNEC)

OTHER INFORMATION Small amounts of methanol (CAS 67-56-1) are formed by hydrolysis and released upon

curing

8.2. Exposure controls

Engineering controls Ensure adequate ventilation, especially in confined areas.

PPE - Personal Protection Equipment

Respiratory protection

Eye/face protection Wear safety glasses with side shields (or goggles).

Skin and body protection Wear suitable protective clothing. No special technical protective measures are

necessary under normal conditions.

Hand protection Wear suitable chemical resistant gloves. The selection of suitable gloves does not only

depend on the material, but also on further marks of quality and various manufacturers. No protective equipment is needed under normal use conditions. Respiratory protection required in insufficiently ventilated working areas and during spraying. An air-fed mask,

or for short periods of work, a combination of professional filter is recommended.

General hygiene considerations Do not eat, drink or smoke when using this product. Wash hands thoroughly after

handling. Avoid contact with skin, eyes or clothing. Take off contaminated clothing and

wash before reuse.

Environmental exposure controls Do not allow uncontrolled discharge of product into the environment.

Section 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

AppearancePasteColorBlack

Odor No information available
Odor threshold No information available

PANELTACK HM BLACKRevision date16-Jul-2019Revision Number3Supersedes Date:03-Aug-2017

Property Values Remarks • Method

pH No data available
Melting point / freezing point No data available

Boiling point / boiling range
Flash point

No data available
> 100 °C

Flash point > 100 °C CC (closed cup)
Evaporation rate No data available

Flammability (solid, gas)

No data available

No data available

Flammability Limit in Air

Upper flammability or explosive No data available

limits

Lower flammability or explosive No data available

limits

Vapor pressure No data available Vapor density No data available No data available Relative density Water solubility Immiscible in water No data available Solubility(ies) **Partition coefficient** No data available **Autoignition temperature** No data available No data available **Decomposition temperature** Kinematic viscosity No data available

Dynamic viscosity 7000 - 13000 Pa.s @ 20 °C

Explosive properties

No information available
Oxidizing properties

No information available

9.2. Other information

Softening PointNo information availableMolecular weightNo information availableSolvent content (%)No information availableSolid content (%)No information available

Density 1.48 g/cm³

Bulk density No information available

VOC Content (%) 0 g/L

Section 10: STABILITY AND REACTIVITY

10.1. Reactivity

Reactivity Product cures with moisture.

10.2. Chemical stability

Stability Stable under normal conditions

10.3. Possibility of hazardous reactions

Possibility of hazardous reactions None known.

Hazardous polymerization None under normal processing.

10.4. Conditions to avoid

Conditions to avoid Protect from moisture. Product cures with moisture. Extremes of temperature and direct

sunlight. Keep from freezing.

10.5. Incompatible materials

Incompatible materials Water.

10.6. Hazardous decomposition products

Hazardous decomposition

products

None under normal use conditions.

PANELTACK HM BLACK
Revision Number 3
Revision Number 3
Revision Number 3
Revision date 16-Jul-2019
Supersedes Date: 03-Aug-2017

Section 11: TOXICOLOGY INFORMATION

11.1. Information on toxicological effects

Acute Toxicity

Product Information In vitro Bovine Corneal Opacity and Permeability tests (BCOP test; OECD 437) have

been carried out on this product.

InhalationBased on available data, the classification criteria are not met.Eye contactBased on available data, the classification criteria are not met.Skin contactBased on available data, the classification criteria are not met.IngestionBased on available data, the classification criteria are not met.

Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Silane, ethenyltrimethoxy-	LD 50 = 7120 -7236 mg/kg (Rat)	= 3360 µL/kg (Rabbit)	LC50 (4hr) 16.8 mg/l (rat) OECD
2768-02-7	OECD 401		TG 403
1-Propanamine, 3-(trimethoxysilyl)-	LD50 (rat) > 2000 mg/ kg (2,97	LD50 (rabbit) > 2000 mg/kg (11,3	=
13822-56-5	ml/kg) OECD test guideline 401	ml/kg)	
		OECD test guideline 402	
Carbon black	LD 50 > 8000 mg/kg (rat)	> 3 g/kg (Rabbit)	-
1333-86-4	OECD 401		
Bis(2,2,6,6-tetramethyl-4-piperidyl)	LD50 (rat)> 2000 mg/kg	LD50 (rat) > 3 170 mg/kg	= 500 mg/m ³ (Rat) 4 h
sebacate	OECD 423	OECD 402	
52829-07-9			

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation
Serious eye damage/eye irritation
Sensitization
Germ cell mutagenicity
Reproductive toxicity
STOT - single exposure
STOT - repeated exposure
No information available.

Target organ effects Eyes, Lymphatic System, retina, Skin.

Aspiration hazard Not applicable.

Carcinogenicity No information available.

Chemical name	IARC	China	Japan
Carbon black	Group 2B	=	Group 2B

IARC (International Agency for

Research on Cancer)

Group 2B - Possibly Carcinogenic to Humans

Section 12: ECOLOGICAL INFORMATION

12.1. Toxicity

Ecotoxicity

Product Information

Harmful to aquatic life.

Component Information

Data obtained on the component(s) include

Chemical name	Algae/aquatic plants	Fish	Crustacea
Silane, ethenyltrimethoxy-	EC 50 (72h) > 957 mg/l	LC50 (96h) = 191 mg/l	EC50(48hr) 168.7mg/l (Daphnia
2768-02-7	(Desmodesmus subspicatus)	(Oncorhynchus mykiss)	magna)
	EU Method C.3		
1-Propanamine, 3-(trimethoxysilyl)-	EC50 (72h) > 1000 mg/l	LC50 (96h) > >934 mg/L (Danio	EC50 (48h) = 331 mg/L (Daphnia

PANELTACK HM BLACK Revision Number 3 Revision date 16-Jul-2019 Supersedes Date: 03-Aug-2017

	_	_	
13822-56-5	(Desmodesmus subspicatus) EU Method C.3 (Algal Inhibition test)	rerio) OECD 203	magna) OECD 202
Carbon black 1333-86-4	>10000 mg/l (Desmodesmus subspicatus) OECD 202	>1000 mg/l (Brachydanio rerio) OCDE 203	EC50: >5600mg/L (24h, Daphnia magna)
Bis(2,2,6,6-tetramethyl-4-piperidyl) sebacate 52829-07-9	EC50 72Hr 0.705 mg/l (Pseudokirchnerella subcapitata)	LC50 (96h) = 5.29 mg/l (Oryzias latipes)	LC50 48Hr 8.58 mg/l (Daphnia magna)

12.2. Persistence and degradability

No information available.

Component Information			
Silane, ethenyltrimethoxy- (2768-02-7)			
Method	Exposure time	Value	Results
OECD Test No. 301F: Ready	28 days	BOD	51 % Not readily
Biodegradability: Manometric			biodegradable
Respirometry Test (TG 301 F)			-

1-Propanamine, 3-(trimethoxysilyl)- (13822-56-5)			
Method	Exposure time	Value	Results
OECD Test No. 301A: Ready	28 days		Not readily biodegradable 67
Biodegradability: DOC Die-Away			%
Test (TG 301 A)			

Bis(2,2,6,6-tetramethyl-4-piperidyl) sebacate (52829-07-9)			
Method	Exposure time	Value	Results
OECD Test No. 303: Simulation	28 days	Total organic carbon (TOC)	24 % Moderate
Test - Aerobic Sewage Treatment	-		
A: Activated Sludge Units; B:			
Biofilms			

12.3. Bioaccumulative potential

There is no data for this product.

Component Information

Chemical name	Partition coefficient	Bioconcentration factor (BCF)
Silane, ethenyltrimethoxy- 2768-02-7	1.1	-
Carbon black 1333-86-4	-	99
Bis(2,2,6,6-tetramethyl-4-piperidyl) sebacate 52829-07-9	0.35	-

12.4. Mobility in soil

No information available.

12.5. Results of PBT and vPvB assessment

The components in this formulation do not meet the criteria for classification as PBT or vPvB.

Chemical name	PBT and vPvB assessment
Silane, ethenyltrimethoxy-	The substance is not PBT / vPvB
2768-02-7	
1-Propanamine, 3-(trimethoxysilyl)-	The substance is not PBT / vPvB
13822-56-5	
Carbon black	The substance is not PBT / vPvB PBT assessment does not
1333-86-4	apply
Bis(2,2,6,6-tetramethyl-4-piperidyl) sebacate	The substance is not PBT / vPvB

PANELTACK HM BLACK
Revision Number 3
Revision Number 3
Revision date 16-Jul-2019
Supersedes Date: 03-Aug-2017

<u>–</u> 52829-07-9

12.6. Other adverse effects

No information available.

Section 13: DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

Waste from residues/unused

ea -

products

Disposal should be in accordance with applicable regional, national and local laws and regulations.

Contaminated packaging

Handle contaminated packages in the same way as the product itself.

Section 14: TRANSPORT INFORMATION

IMDG Not regulated

IATA Not regulated

ADR Not regulated

Section 15: REGULATORY INFORMATION

National Regulations

ERMA Group Not applicable

Section 16: OTHER INFORMATION

Chronic Hazard Star Legend *= Chronic Health Hazard

Key or legend to abbreviations and acronyms used in the safety data sheet

No information available

Key Literature References and Sources for Data

No information available

Prepared By Product Safety & Regulatory Affairs

Revision date 16-Jul-2019

Revision note SDS sections updated: 1, 11, 12.

Training Advice When working with hazardous materials, regular training of operators is required by law

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet