

UL200 FLOOR LEVELLER
 Revision Number 2

Revision date 04-Aug-2019
 Supersedes Date: 28-Jun-2017

Section 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product Identifier

Product Name UL200 FLOOR LEVELLER
Pure substance/mixture Mixture

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use Hydraulic Cement, Mortar, Grout and Concrete.
Uses advised against No information available.

1.3. Details of the supplier of the safety data sheet

Company Name
 Bostik New Zealand Limited
 19 Eastern Hutt Road Wingate,
 Lower Hutt, New Zealand
 Tel: 04-567 5119
 Fax: 04-567 5412

Manufacturer
 Bostik Australia Pty Ltd
 51-71 High Street,
 Thomastown Victoria
 Australia
 Tel: 613 9279-9333
 Fax: 613 9279-9342

ABN: 79 003 893 838

1.4. Emergency telephone number

Emergency Telephone 24 Hr: 0800 243 622
 +64 4 917 9888
 Poison Centre : 0800 764 766

E-mail address SDS.AP@Bostik.com

Section 2: HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

Skin corrosion/irritation	Category 2 (6.3A)
Serious eye damage/eye irritation	Category 1 (8.3A)

Classification in parenthesis is applicable for New Zealand Hazard Classification

2.2. Label Elements



Signal word Danger

Hazard statements

H318 - Causes serious eye damage
 H315 - Causes skin irritation

Prevention

P264 - Wash face, hands and any exposed skin thoroughly after handling
 P280 - Wear protective gloves/protective clothing/eye protection/face protection

Skin

SAFETY DATA SHEET

UL200 FLOOR LEVELLER
Revision Number 2

Revision date 04-Aug-2019
Supersedes Date: 28-Jun-2017

P302 + P352 - IF ON SKIN: Wash with plenty of soap and water
P332 + P313 - If skin irritation occurs: Get medical advice/attention
P362 - Take off contaminated clothing and wash before reuse

Eyes

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
P310 - Immediately call a POISON CENTER or doctor/physician

2.3. Other Hazards

Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substances

Mixture

3.2 Mixtures

Chemical name	CAS No.	Weight-%
Cement, portland, chemicals (Chromium VI reduced)	65997-15-1	10 - <20
Ashes, residues	68131-74-8	5 - <10
Calcium sulfate	7778-18-9	5 - <10
Calcium hydroxide	1305-62-0	0.1- <1
Calcium oxide	1305-78-8	0.1- <1

*** Any remaining ingredients are not hazardous

Section 4: FIRST AID MEASURES

4.1. Description of first aid measures

General advice	If symptoms persist, call a physician.
Inhalation	Remove to fresh air. If symptoms persist, call a physician.
Skin contact	Wash off immediately with plenty of water for at least 15 minutes. If skin irritation persists, call a physician. Brush off loose particles from skin.
Eye contact	If symptoms persist, call a physician. In case of eye contact, remove contact lens and rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.
Ingestion	Do NOT induce vomiting. Rinse mouth. If swallowed, seek medical advice immediately and show this container or label.
Self-protection of the first aider	Use personal protective equipment as required

4.2. Most important symptoms and effects, both acute and delayed

Symptoms None known.

4.3. Indication of any immediate medical attention and special treatment needed

Note to physicians May cause sensitization of susceptible persons. Treat symptomatically.

4.4. Reference to Other Sections

Reference to other sections Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION. Section 11: TOXICOLOGY INFORMATION.

Section 5: FIRE-FIGHTING MEASURES

5.1. Extinguishing media

SAFETY DATA SHEET

UL200 FLOOR LEVELLER
Revision Number 2

Revision date 04-Aug-2019
Supersedes Date: 28-Jun-2017

Suitable extinguishing media Use extinguishing agent suitable for type of surrounding fire.

Unsuitable extinguishing media No information available.

5.2. Special hazards arising from the substance or mixture

Specific hazards arising from the chemical Thermal decomposition can lead to release of irritating and toxic gases and vapors.

Hazardous combustion products Carbon oxides.

5.3. Advice for firefighters

Special protective equipment for fire-fighters Wear self-contained breathing apparatus and protective suit.

Section 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions Avoid creating dust. Do not get in eyes, on skin, or on clothing. Wear protective gloves/protective clothing and eye/face protection.

For emergency responders Sweep up to prevent slipping hazard.

6.2. Environmental precautions

Environmental precautions Prevent entry into waterways, sewers, basements or confined areas. Do not flush into surface water or sanitary sewer system. Prevent further leakage or spillage if safe to do so. Prevent product from entering drains. See Section 12 for additional Ecological Information.

6.3. Methods and material for containment and cleaning up

Methods for containment Prevent dust cloud. Take up mechanically, placing in appropriate containers for disposal. Protect from moisture.

Methods for cleaning up Avoid creating dust. Sweep up and shovel into suitable containers for disposal.

6.4. Reference to other sections

Reference to other sections Section 7: HANDLING AND STORAGE
Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION
Section 13: DISPOSAL CONSIDERATIONS

Section 7: HANDLING AND STORAGE

7.1. Precautions for safe handling

Advice on safe handling Handle in accordance with good industrial hygiene and safety practice. Avoid generation of dust. Avoid contact with skin and eyes. Wash contaminated clothing before reuse.

7.2. Conditions for safe storage, including any incompatibilities

General hygiene considerations When using do not eat, drink or smoke. Wash contaminated clothing before reuse. Regular cleaning of equipment, work area and clothing is recommended.

Storage Conditions Keep out of the reach of children. Protect from direct contact with water or excessive moisture. Keep the packing dry and well sealed to prevent contamination and absorption of humidity. Protect from moisture.

Incompatible materials No information available

SAFETY DATA SHEET

UL200 FLOOR LEVELLER
Revision Number 2

Revision date 04-Aug-2019
Supersedes Date: 28-Jun-2017

7.3. Specific end use(s)

Specific Use(s) Adhesives. Floor coating. Hydraulic Cement, Mortar, Grout and Concrete.

Other information No information available.

7.4. References to Other Sections

Reference to other sections Section 13: DISPOSAL CONSIDERATIONS. Section 10: STABILITY AND REACTIVITY.

Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

Exposure Limits

Chemical name	New Zealand	Australia	European Union
Cement, portland, chemicals (Chromium VI reduced) 65997-15-1	TWA: 3 mg/m ³ TWA: 1 mg/m ³	10 mg/m ³ TWA	-
Ashes, residues 68131-74-8	TWA: 0.02 mg/m ³ TWA: 0.005 mg/m ³	-	-
Calcium sulfate 7778-18-9	TWA: 10 mg/m ³	10 mg/m ³ TWA	-
Calcium hydroxide 1305-62-0	TWA: 5 mg/m ³	5 mg/m ³ TWA	TWA: 5 mg/m ³
Calcium oxide 1305-78-8	TWA: 2 mg/m ³	2 mg/m ³ TWA	-

Chemical name	ACGIH TLV	NIOSH IDLH	OSHA PEL
Cement, portland, chemicals (Chromium VI reduced) 65997-15-1	TWA: 1 mg/m ³ particulate matter containing no asbestos and <1% crystalline silica, respirable particulate matter	IDLH: 5000 mg/m ³ TWA: 10 mg/m ³ total dust TWA: 5 mg/m ³ respirable dust	TWA: 15 mg/m ³ total dust TWA: 5 mg/m ³ respirable fraction TWA: 50 mppcf <1% Crystalline silica
Ashes, residues 68131-74-8	TWA: 1 mg/m ³ Cu dust and mist	IDLH: 100 mg/m ³ Cu dust and mist IDLH: 10 mg/m ³ Ni Ceiling: 0.05 mg/m ³ V dust and fume 15 min TWA: 1 mg/m ³ Cu dust and mist TWA: 0.015 mg/m ³ except Nickel carbonyl Ni	-
Calcium sulfate 7778-18-9	TWA: 10 mg/m ³ inhalable particulate matter	TWA: 10 mg/m ³ total dust TWA: 5 mg/m ³ respirable dust	TWA: 15 mg/m ³ total dust TWA: 5 mg/m ³ respirable fraction
Calcium hydroxide 1305-62-0	TWA: 5 mg/m ³	TWA: 5 mg/m ³	TWA: 15 mg/m ³ total dust TWA: 5 mg/m ³ respirable fraction
Calcium oxide 1305-78-8	TWA: 2 mg/m ³	IDLH: 25 mg/m ³ TWA: 2 mg/m ³	TWA: 5 mg/m ³

Derived No Effect Level (DNEL) No information available

Predicted No Effect Concentration (PNEC) No information available

OTHER INFORMATION No information available

8.2. Exposure controls

Engineering controls Ensure adequate ventilation, especially in confined areas.

PPE - Personal Protection Equipment

Eye/face protection Wear safety glasses with side shields (or goggles).

Skin and body protection Wear suitable protective clothing. No special technical protective measures are

SAFETY DATA SHEET

UL200 FLOOR LEVELLER
Revision Number 2

Revision date 04-Aug-2019
Supersedes Date: 28-Jun-2017

Hand protection	necessary under normal conditions. Wear suitable chemical resistant gloves. The selection of suitable gloves does not only depend on the material, but also on further marks of quality and various manufacturers.
Respiratory protection	No protective equipment is needed under normal use conditions. Respiratory protection required in insufficiently ventilated working areas and during spraying. An air-fed mask, or for short periods of work, a combination of professional filter is recommended.
General hygiene considerations	Do not eat, drink or smoke when using this product. Wash hands thoroughly after handling. Avoid contact with skin, eyes or clothing. Take off contaminated clothing and wash before reuse.

Environmental exposure controls Do not allow into any sewer, on the ground or into any body of water.

Section 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Appearance	Powder	
Color	Gray	
Odor	Odorless	
Odor threshold	Not applicable	
Property	Values	Remarks • Method
pH	No data available	
Melting point / freezing point	Not applicable . °C	
Boiling point / boiling range	Not applicable. °C	
Flash point	Not applicable. °C	
Evaporation rate	Not applicable .	
Flammability (solid, gas)	No data available	
Flammability Limit in Air		
Upper flammability or explosive limits	No data available	
Lower flammability or explosive limits	No data available	
Vapor pressure	No data available	
Vapor density	No data available	
Relative density	2.2 (wet)	@ .? °C
Water solubility	Insoluble in water. Cement based products react and solidify in contact with water	
Solubility(ies)	No data available	
Partition coefficient	No data available	
Autoignition temperature	No data available	
Decomposition temperature	No data available	
Kinematic viscosity	Not applicable	Not applicable. mm ² /s
Dynamic viscosity	Not applicable	Not applicable.
Explosive properties	No information available	
Oxidizing properties	No information available	

9.2. Other information

Softening Point	Not relevant
Molecular weight	No information available
Solvent content (%)	No information available
Solid content (%)	100
Density	No information available
Bulk density	No information available
VOC Content (%)	1 g/L

Section 10: STABILITY AND REACTIVITY

10.1. Reactivity

Reactivity None under normal use conditions.

SAFETY DATA SHEET

UL200 FLOOR LEVELLER
Revision Number 2

Revision date 04-Aug-2019
Supersedes Date: 28-Jun-2017

10.2. Chemical stability

10.3. Possibility of hazardous reactions

Possibility of hazardous reactions None under normal processing.

Hazardous polymerization None under normal processing.

10.4. Conditions to avoid

Conditions to avoid Protect from moisture.

10.5. Incompatible materials

Incompatible materials No information available.

10.6. Hazardous decomposition products

Hazardous decomposition products Carbon oxides. Nitrogen oxides (NOx). May emit toxic fumes under fire conditions.

Section 11: TOXICOLOGY INFORMATION

11.1. Information on toxicological effects

Acute Toxicity

Product Information Product does not present an acute toxicity hazard based on known or supplied information.

Inhalation No data available.
Eye contact No data available.
Skin contact No data available.
Ingestion No data available.

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Ashes, residues 68131-74-8	> 2000 mg/kg (Rat)	-	-
Calcium sulfate 7778-18-9	> 3000 mg/kg (Rat)	-	CL50 >2.61 mg/L (4h) Rat
Calcium hydroxide 1305-62-0	= 7340 mg/kg (Rat)	-	-
Calcium oxide 1305-78-8	>2000 mg/kg (Rat)	LD50 > 2500 mg/kg (rabbit)	-

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation No information available.
Serious eye damage/eye irritation No information available.
Sensitization No information available.
Germ cell mutagenicity No information available.
Reproductive toxicity No information available.
STOT - single exposure No information available.
STOT - repeated exposure No information available.
Target organ effects Eyes, Lungs, retina, Skin, blood forming system, liver, kidney, blood, Nasal Cavities.
Aspiration hazard No information available.
Carcinogenicity No information available.

Chemical name	IARC	China	Japan
Ashes, residues	Group 1	-	Group 1 Group 2B

IARC (International Agency for Research on Cancer) Group 1 - Carcinogenic to Humans Group 3 - Not Classifiable as to Carcinogenicity in Humans

SAFETY DATA SHEET

UL200 FLOOR LEVELLER
Revision Number 2

Revision date 04-Aug-2019
Supersedes Date: 28-Jun-2017

Section 12: ECOLOGICAL INFORMATION

12.1. Toxicity

Ecotoxicity

Product Information

None known.

Component Information

Data obtained on the component(s) include

Chemical name	Algae/aquatic plants	Fish	Crustacea
Ashes, residues 68131-74-8	-	-	EC50: 140 - 2000mg/L (24h, Daphnia magna)
Calcium sulfate 7778-18-9	CL50 (72h) >100 mg/L Algae	LC50: =2980mg/L (96h, Lepomis macrochirus) LC50: >1970mg/L (96h, Pimephales promelas)	CE50 (48h) >100 mg/L Waterflea (Daphnia magna)
Calcium hydroxide 1305-62-0	-	LC50: =160mg/L (96h, Gambusia affinis)	-
Calcium oxide 1305-78-8	EC50 (Pseudokirchneriella subcapitata (green algae)): 106,02 mg/l End point: Growth rate Exposure time: 72 h Test Type: static test Method: OECD Test Guideline 201 GLP: yes	LC50 96 h = 50.6 mg/L (Oncorhynchus mykiss)	EC50 (48h) = 49.1 mg/l/(Daphnia magna) OECD 202

12.2. Persistence and degradability

No information available.

12.3. Bioaccumulative potential

No information available.

12.4. Mobility in soil

No information available.

12.5. Results of PBT and vPvB assessment

The components in this formulation do not meet the criteria for classification as PBT or vPvB.

Chemical name	PBT and vPvB assessment
Ashes, residues 68131-74-8	The substance is not PBT / vPvB PBT assessment does not apply
Calcium sulfate 7778-18-9	The substance is not PBT / vPvB PBT assessment does not apply
Calcium hydroxide 1305-62-0	The substance is not PBT / vPvB PBT assessment does not apply
Calcium oxide 1305-78-8	The substance is not PBT / vPvB PBT assessment does not apply

12.6. Other adverse effects

No information available.

Section 13: DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

SAFETY DATA SHEET

UL200 FLOOR LEVELLER
Revision Number 2

Revision date 04-Aug-2019
Supersedes Date: 28-Jun-2017

Waste from residues/unused products Disposal should be in accordance with applicable regional, national and local laws and regulations.

Contaminated packaging Disposal should be in accordance with applicable regional, national and local laws and regulations.

Section 14: TRANSPORT INFORMATION

IMDG Not regulated

IATA Not regulated

ADR Not regulated

Section 15: REGULATORY INFORMATION

National Regulations

ERMA Group HSR002544

Section 16: OTHER INFORMATION

Key or legend to abbreviations and acronyms used in the safety data sheet

No information available

Key Literature References and Sources for Data

No information available

Prepared By Product Safety & Regulatory Affairs

Revision date 04-Aug-2019

Revision note Not applicable.

Training Advice No information available

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet