

This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008 This SDS is for generic information purposes and does not reflect required country specific information for OEL

FIRE BOND PRESSURE SEAL+

Supercedes Date: 07-Jun-2020

Revision date 07-Jun-2020 Revision Number 1

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product Identifier

Product Name Pure substance/mixture FIRE BOND PRESSURE SEAL+ Mixture

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use Uses advised against

Sealant. None known.

1.3. Details of the supplier of the safety data sheet

Company Name Bostik AB Strandbadsvaegen 22 PO Box 903 25109 Helsingborg, Sweden Tel: +46 42 19 50 00 Fax: +46 42 19 50 20

E-mail address

SDS.box-EU@bostik.com

### 1.4. Emergency telephone number

**Emergency Telephone** 

No information available

## SECTION 2: Hazards identification

### 2.1. Classification of the substance or mixture

Regulation (EC) No 1272/2008

Not classified

#### 2.2. Label Elements

Not classified

Signal word None

Hazard statements Not classified

#### **EU Specific Hazard Statements**

EUH208 - Contains 1,2-benzisothiazol-3(2H)-one [BIT] & 2-methyl-2H-isothiazol-3-one [MIT]. May produce an allergic reaction. EUH210 - Safety data sheet available on request.

### **Precautionary statements**

P101 - If medical advice is needed, have product container or label at hand. P102 - Keep out of reach of children.

## FIRE BOND PRESSURE SEAL+

Supercedes Date: 07-Jun-2020

#### 2.3. Other Hazards

No information available

### PBT & vPvB

This mixture contains no substance considered to be persistent, bioaccumulating or toxic (PBT) This mixture contains no substance considered to be very persistent nor very bioaccumulating (vPvB)

### SECTION 3: Composition/information on ingredients

#### 3.1 Substances

Not applicable

#### 3.2. Mixtures

Chemical name	EC No	CAS No	Weight-%	Classification according to Regulation (EC) No. 1272/2008 [CLP]	Specific concentration limit (SCL)	REACH Registration Number
Clay	-		5 - <10	STOT RE 2 (H373)		
1,2-benzisothiazol-3(2H) -one [BIT]	220-120-9	2634-33-5	0.01 - <0.05	Acute Tox. 4 (H302) Skin Irrit. 2 (H315) Eye Dam. 1 (H318) Skin Sens. 1 (H317) Aquatic Acute 1 (H400) Acute Tox. 2 (H330) Aquatic Chronic 2 (H411) (M Factor Acute =1)	Skin Sens. 1 :: C>=0.05%	01-2120761540- 60-XXXX
2-methyl-2H-isothiazol-3 -one [MIT]	220-239-6	2682-20-4	<0.0015	Skin Corr. 1B (H314) Eye Dam. 1 (H318) Skin Sens. 1A (H317) Acute Tox. 3 (H301) Acute Tox. 3 (H311) Acute Tox. 2 (H330) Aquatic Acute 1 (H400) Aquatic Chronic 1 (H410) (M Factor Acute =10)	Skin Sens. 1 :: C>=0.0015%	01-2120764690- 50-xxxx

Full text of H- and EUH-phrases: see section 16

# FIRE BOND PRESSURE SEAL+

Supercedes Date: 07-Jun-2020

Note: ^ indicates not classified, however, the substance is listed in section 3 as it has an OEL

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

SECTION 4: First aid measu	SECTION 4: First aid measures		
4.1. Description of first aid measures			
General advice	If medical advice is needed, have product container or label at hand. Show this safety data sheet to the doctor in attendance.		
Inhalation	Remove to fresh air. IF exposed or concerned: Get medical advice/attention.		
Eye contact	Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids. Consult a doctor.		
Skin contact	Wash skin with soap and water. In the case of skin irritation or allergic reactions see a doctor.		
Ingestion	Clean mouth with water. Do NOT induce vomiting. Drink 1 or 2 glasses of water. Never give anything by mouth to an unconscious person.		
4.2. Most important symptoms and	l effects, both acute and delayed		
Symptoms	No information available.		
4.3. Indication of any immediate medical attention and special treatment needed			
Note to doctors	Treat symptomatically.		
SECTION 5: Firefighting mea	asures		
5.1. Extinguishing media			
Suitable extinguishing media	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.		
Unsuitable extinguishing media	Full water jet. Do not scatter spilled material with high pressure water streams.		
5.2. Special hazards arising from the	he substance or mixture		
Specific hazards arising from the chemical	Thermal decomposition can lead to release of toxic and corrosive gases/vapours.		
5.3. Advice for firefighters			
Special protective equipment for fire-fighters	Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.		
SECTION 6: Accidental relea	ase measures		
6.1. Personal precautions, protective equipment and emergency procedures			

Personal precautions	Ensure adequate ventilation. Avoid contact with skin, eyes or clothing.
Other information	Ventilate the area. Prevent further leakage or spillage if safe to do so.

#### FIRE BOND PRESSURE SEAL+ Supercedes Date: 07-Jun-2020

	Lies revealed restartion recommended in Castion 9	
For emergency responders	Use personal protection recommended in Section 8.	
6.2. Environmental precautions		
Environmental precautions	Do not flush into surface water or sanitary sewer system. Do not allow to enter into soil/subsoil. See Section 12 for additional Ecological Information.	
6.3. Methods and material for containment and cleaning up		
Methods for containment	Do not scatter spilled material with high pressure water streams.	
Methods for cleaning up	Take up mechanically, placing in appropriate containers for disposal.	
6.4. Reference to other sections		
Reference to other sections	See section 8 for more information. See section 13 for more information.	

# SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

Advice on safe handling	Ensure adequate ventilation. Use personal protective equipment as required. Avoid contact with skin, eyes or clothing.	
General hygiene considerations	Handle in accordance with good industrial hygiene and safety practice. Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Take off all contaminated clothing and wash it before reuse.	
7.2. Conditions for safe storage, including any incompatibilities		
Storage Conditions	Keep from freezing. Store at room temperature. Keep away from food, drink and animal feedingstuffs.	
7.3. Specific end use(s)		
<b>Specific Use(s)</b> Sealant.		
Risk Management Methods (RMM)	The information required is contained in this Safety Data Sheet.	
Other information	Observe technical data sheet.	

# SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

#### Exposure Limits

Only European Community Occupational Exposure Limits will be shown in this document. Please refer to regional SDS for further information.

Derived No Effect Level (DNEL) No information available

Derived No Effect Level (DNEL)			
1,2-benzisothiazol-3(2H)-one [BIT] (2634-33-5)			
Туре	Exposure route	Derived No Effect Level (DNEL)	Safety factor

### FIRE BOND PRESSURE SEAL+

Supercedes Date: 07-Jun-2020

worker Long term Systemic health effects	Inhalation	6.81 mg/m³	
worker Long term Systemic health effects	Dermal	0.966 mg/kg bw/d	

Derived No Effect Level (DNEL)			
1,2-benzisothiazol-3(2H)-one [BI	Г] (2634-33-5)		
Туре	Exposure route	Derived No Effect Level (DNEL)	Safety factor
Consumer Long term Systemic health effects	Inhalation	1.2 mg/m³	
Consumer Long term Systemic health effects	Dermal	0.345 mg/kg bw/d	

## Predicted No Effect Concentration No information available. (PNEC)

Predicted No Effect Concentration (PNEC)		
1,2-benzisothiazol-3(2H)-one [BIT] (2634-33-5)		
Environmental compartment	Predicted No Effect Concentration (PNEC)	
Freshwater	4.03 μg/l	
Marine water	0.403 µg/l	
Sewage treatment plant	1.03 mg/l	
Freshwater sediment	49.9 µg/l	
Marine sediment	4.99 μg/l	
Soil	3 mg/kg dry weight	

### 8.2. Exposure controls

**Respiratory protection** 

**Engineering controls** Ensure adequate ventilation, especially in confined areas. **Personal Protective Equipment** Tight sealing safety goggles. Eye protection must conform to standard EN 166. Eye/face protection Hand protection Wear protective gloves. Recommended Use:. Nitrile rubber. The breakthrough time for the mentioned glove material is in general greater than 480 min. Suitable protective clothing. Skin and body protection

None under normal use conditions.

Environmental exposure controls No information available.

## **SECTION 9: Physical and chemical properties**

#### 9.1. Information on basic physical and chemical properties

Physical state	Liquid
Appearance	Viscous Paste
Colour	Grey
Odour	No information available
Odour threshold	No information available
<u>Property</u>	<u>Values</u>
pH	7.5 - 8.5
Melting point / freezing point	No data available
Boiling point / boiling range	No data available

Flash point Evaporation rate No data available Flammability (solid, gas) Not applicable for liquids . Flammability Limit in Air Upper flammability or explosive No data available

> 100 °C

Remarks • Method

FIRE BOND PRESSURE SEAL+ Supercedes Date: 07-Jun-2020 Revision date 07-Jun-2020 Revision Number 1

limits	
Lower flammability or explosive	No data available
limits	
Vapour pressure	No data available
Vapour density	No data available
Relative density	No data available
Water solubility	Miscible in water
Solubility(ies)	No data available
Partition coefficient	No data available
Autoignition temperature	No data available
Hyphen	No data available
Kinematic viscosity	No data available
Dynamic viscosity	No data available
Explosive properties	No data available
Oxidising properties	No data available
9.2. Other information	
Solid content (%)	No information available
VOC Content (%)	No information available
Liquid Density	1.5 - 1.6 g/ml

# SECTION 10: Stability and reactivity

10.1. Reactivity				
Reactivity	No information available.			
10.2. Chemical stability				
Stability	Stable under normal conditions.			
Explosion data Sensitivity to mechanical impact Sensitivity to static discharge	None.			
10.3. Possibility of hazardous reactions				
Possibility of hazardous reactions	None under normal processing.			
10.4. Conditions to avoid				
Conditions to avoid	Keep from freezing.			
10.5. Incompatible materials				
Incompatible materials	None known based on information supplied.			
10.6. Hazardous decomposition products				
Hazardous decomposition products	None under normal use conditions. Stable under recommended storage conditions.			

# **SECTION 11: Toxicological information**

11.1. Information on toxicological effects

Information on likely routes of exposure

Product Information	. —		
Inhalation	Based on available data, the classification criteria are not met.		
Eye contact	Based on available data, the classification criteria are not met.		
Skin contact	Based on available data, the classification criteria are not met.		
Ingestion	Based on available data, the classification criteria are not met.		
Symptoms related to the physical, chemical and toxicological characteristics			
Symptoms	No information available.		
Numerical measures of toxicity			

Acute toxicity

# **Component Information**

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
1,2-benzisothiazol-3(2H)-one [BIT] 2634-33-5	=670 mg/kg (Rattus)	LD50 > 2000 mg/kg (Rattus)	
2-methyl-2H-isothiazol-3-one [MIT] 2682-20-4	LD50 =285 mg/Kg (Rattus)	LD50 >242 mg/Kg (Rattus)	=0.11 mg/L (Rattus) 4 h

#### Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation Based on available data, the classification criteria are not met.

Serious eye damage/eye irritation Based on available data, the classification criteria are not met.

Respiratory or skin sensitisation Based on available data, the classification criteria are not met.

Component Information			
2-methyl-2H-isothiazol-3-one [M	/IT] (2682-20-4)		
Method	Species	Exposure route	Results
OECD Test No. 406: Skin	Guinea pig	Dermal	Sensitizing
Sensitisation			-

Germ cell mutagenicity	Based on available data, the classification criteria are not met.
Carcinogenicity	Based on available data, the classification criteria are not met.
Reproductive toxicity	Based on available data, the classification criteria are not met.
STOT - single exposure	Based on available data, the classification criteria are not met.
STOT - repeated exposure	Based on available data, the classification criteria are not met.

# FIRE BOND PRESSURE SEAL+

Supercedes Date: 07-Jun-2020

Aspiration hazard

Based on available data, the classification criteria are not met.

# SECTION 12: Ecological information

12.1. Toxicity

### Ecotoxicity

Chemical name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea	M-Factor	M-Factor (long-term)
			microorganisms			(iong-term)
1,2-benzisothiazol-3(2	EC50 3Hr	LC50 (96hr)	-	EC50(48hr) 2.94	1	1
H)-one [BIT]	13mg/l	2.15 mg/l		mg/l (Daphnia		
2634-33-5	(activated	Cyprinodon		Magna) OECD		
	sludge) (OECD	variegatus EPA		202		
	209)	540/9-85-006				
2-methyl-2H-isothiazol-	EC50 (72hr)	EC50 (96hr)	-	EC50 (48hr)	10	1
3-one [MIT]	0.157 mg/l	5.71 mg/l		1.68 mg/l		
2682-20-4	(Pseudokirchner	(Oncorhynchus		(Daphnia)		
	iella	mykiss) OECD		(OECD 202)		
	subcapitata)	203				
	(OECD 201)					

### 12.2. Persistence and degradability

Persistence and degradability No information available.

Component Information 2-methyl-2H-isothiazol-3-one [MIT] (2682-20-4)			
Method	Exposure time	Value	Results
OECD Test No. 308: Aerobic and Anaerobic Transformation in Aquatic Sediment Systems		Half-life	1.28-2.1 days
OECD Test No. 309: Aerobic Mineralization in Surface Water - Simulation Biodegradation Test		biodegradation Half-life	Readily biodegradable 4.1 days

### 12.3. Bioaccumulative potential

Bioaccumulation

There is no data for this product.

## **Component Information**

Chemical name	Partition coefficient	Bioconcentration factor (BCF)
1,2-benzisothiazol-3(2H)-one [BIT] 2634-33-5	0.7	6.95
2-methyl-2H-isothiazol-3-one [MIT] 2682-20-4	-0.32	3.16

### 12.4. Mobility in soil

Mobility in soil

No information available.

# 12.5. Results of PBT and vPvB assessment

## PBT and vPvB assessment

Chemical name	PBT and vPvB assessment

## FIRE BOND PRESSURE SEAL+

1,2-benzisothiazol-3(2H)-one [BIT] 2634-33-5	The substance is not PBT / vPvB
2-methyl-2H-isothiazol-3-one [MIT] 2682-20-4	The substance is not PBT / vPvB

#### 12.6. Other adverse effects

Other adverse effects No information available.

# SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste from residues/unused products	Dispose of contents/container in accordance with local, regional, national, and international regulations as applicable.
Contaminated packaging	Do not reuse empty containers. Handle contaminated packages in the same way as the product itself.
Waste codes / waste designations according to EWC / AVV	08 04 10 waste adhesives and sealants other than those mentioned in 08 04 09.
Other information	Waste codes should be assigned by the user based on the application for which the product was used.

# **SECTION 14: Transport information**

Note:	Keep from freezing.		
Land transport (ADR/RID) 14.1 UN number 14.2 Proper Shipping Name 14.3 Transport hazard class(es) 14.4 Packing group 14.5 Environmental hazards 14.6 Special Provisions	Not regulated Not regulated Not regulated Not regulated Not applicable None		
IMDG			
14.1 UN number	Not regulated		
14.2 Proper Shipping Name	Not regulated		
14.3 Transport hazard class(es)	Not regulated		
14.4 Packing group	Not regulated		
14.5 Marine pollutant	Np		
14.6 Special Provisions	None		
<b>14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code</b> Not applicable			

Air transport (ICAO-TI / IATA-DGR)			
14.1 UN number	Not regulated		
14.2 Proper Shipping Name	Not regulated		
14.3 Transport hazard class(es)	Not regulated		
14.4 Packing group	Not regulated		
14.5 Environmental hazards	Not applicable		
14.6 Special Provisions	None		

# Section 15: REGULATORY INFORMATION

#### FIRE BOND PRESSURE SEAL+ Supercedes Date: 07-Jun-2020

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### European Union

#### Registration, Evaluation, Authorization, and Restriction of Chemicals (REACh) Regulation (EC 1907/2006)

### SVHC: Substances of Very High Concern for Authorisation:

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

#### EU-REACH (1907/2006) - Annex XVII - Substances subject to Restriction

This product does not contain substances subject to restriction (Regulation (EC) No. 1907/2006 (REACH), Annex XVII).

## Substance subject to authorisation per REACH Annex XIV

This product does not contain substances subject to authorisation (Regulation (EC) No. 1907/2006 (REACH), Annex XIV)

Ozone-depleting substances (ODS) regulation (EC) 1005/2009 Not applicable

# Persistent Organic Pollutants

Not applicable

#### National Regulations

France

### **Occupational Illnesses (R-463-3, France)**

Chemical name	French RG number
1,2-benzisothiazol-3(2H)-one [BIT]	RG 65
2634-33-5	

#### **Germany**

**Ordinance on Industrial Safety and Health - Germany - BetrSichV** No flammable liquids in accordance with BetrSichV

Water hazard class (WGK) slightly hazardous to water (WGK 1)

### Netherlands

List of Carcinogenic, mutagenic and reproductive toxin substances in accordance with Inspectorate SZW (Netherlands)

Not Listed

#### MAL-Code 00-1

#### 15.2. Chemical safety assessment

Chemical Safety Assessments have been carried out by the Reach registrants for substances registered at >10 tpa. No Chemical Safety Assessment has been carried out for this mixture

FIRE BOND PRESSURE SEAL+

Supercedes Date: 07-Jun-2020

## **SECTION 16: Other information**

#### Key or legend to abbreviations and acronyms used in the safety data sheet

#### Full text of H-Statements referred to under section 3

H301 -	Toxic	if	swallo	wed	

- H302 Harmful if swallowed H311 - Toxic in contact with skin
- H314 Causes severe skin burns and eye damage
- H315 Causes skin irritation
- H317 May cause an allergic skin reaction
- H318 Causes serious eye damage
- H330 Fatal if inhaled

.

- H373 May cause damage to organs through prolonged or repeated exposure
- H400 Very toxic to aquatic life
- H410 Very toxic to aquatic life with long lasting effects
- H411 Toxic to aquatic life with long lasting effects

Legend	
TWA	TWA (time-weighted average)
STEL	STEL (Short Term Exposure Limit)
Ceiling	Ceiling Limit Value
*	Skin designation
SVHC	Substance(s) of Very High Concern
PBT	Persistent, Bioaccumulative, and Toxic (PBT) Chemicals
vPvB	Very Persistent and very Bioaccumulative (vPvB) Chemicals
STOT RE	Specific target organ toxicity - Repeated exposure
STOT SE	Specific target organ toxicity - Single exposure
EWC	European Waste Catalogue

#### Key literature references and sources for data No information available

Prepared By	Product Safety & Regulatory Affairs
Revision date	07-Jun-2020
Indication of changes	
Revision note	Not applicable.
Training Advice	No information available
Further information	No information available

This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006

#### Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

#### End of Safety Data Sheet