

This safety data sheet was created pursuant to the requirements of:
Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008
This SDS is for generic information purposes and does not reflect required country specific
information for OEL

BOSTIK S755 SIL BK P WHITE Supercedes Date: 28-Jul-2020 Revision Date: 28-Jul-2020

**Revision Number** 1

\_\_\_\_\_

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product Identifier

Product Name BOSTIK S755 SIL BK P WHITE

Pure substance/mixture Mixture

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use Sealant.
Uses advised against None known.

### 1.3. Details of the supplier of the safety data sheet

## **Company Name**

Bostik SA 420 rue d'Estienne d'Orves 92700 Colombes FRANCE

Tel: +33 (0)1 49 00 90 00

E-mail address SDS.box-EU@bostik.com

#### 1.4. Emergency telephone number

Emergency Telephone No information available

## **SECTION 2: Hazards identification**

#### 2.1. Classification of the substance or mixture

Regulation (EC) No 1272/2008

Not classified

## 2.2. Label Elements

Not classified

#### Signal word

None

## **Hazard statements**

Not classified

#### **EU Specific Hazard Statements**

EUH208 - Contains 3-(Triethoxysilyl) propylamine. May produce an allergic reaction.

EUH210 - Safety data sheet available on request.

## **Precautionary statements**

P101 - If medical advice is needed, have product container or label at hand.

P102 - Keep out of reach of children.

### 2.3. Other Hazards

Europe - BE Page 1/12

Supercedes Date: 28-Jul-2020 Revision Number 1

Revision Date: 28-Jul-2020

\_\_\_\_\_

Small amounts of methanol (CAS 67-56-1) are formed by hydrolysis and released upon curing Small amounts of ethanol (CAS 64-17-5) are formed by hydrolysis and released upon curing

### PBT & vPvB

This mixture contains no substance considered to be persistent, bioaccumulating or toxic (PBT) This mixture contains no substance considered to be very persistent nor very bioaccumulating (vPvB)

## SECTION 3: Composition/information on ingredients

## 3.1 Substances

Not applicable

### 3.2. Mixtures Mixtures

**BOSTIK S755 SIL BK P WHITE** 

Chemical name	EC No	CAS No	Weight-%	Classification according to Regulation (EC) No. 1272/2008 [CLP]	Specific concentration limit (SCL)	REACH Registration Number
2-Pentanone oxime	484-470-6	623-40-5	1 - <2.5	Acute Tox. 4 (H302) Eye Irrit. 2 (H319) Aquatic Chronic 3 (H412)		01-2119980079- 27-XXXX
Titanium dioxide	236-675-5	13463-67-7	0.1- <1	Carc. 2 (H351i)		01-2119489379- 17-XXXX
3-(Triethoxysilyl) propylamine	213-048-4	919-30-2	0.1- <1	Skin Corr. 1B (H314) Skin Sens. 1 (H317) Acute Tox. 4 (H302)		01-2119480479- 24-XXXX

#### Full text of H- and EUH-phrases: see section 16

Note: ^ indicates not classified, however, the substance is listed in section 3 as it has an OEL

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

## **SECTION 4: First aid measures**

## 4.1. Description of first aid measures

General advice If medical advice is needed, have product container or label at hand.

**Inhalation** Remove to fresh air. (Call a doctor if symptoms occur).

Eye contact Immediately flush with plenty of water. After initial flushing, remove any contact lenses

and continue flushing for at least 15 minutes. Consult an ophthalmologist.

**Skin contact**Wash skin with soap and water. In the case of skin irritation or allergic reactions see a

doctor.

Europe - BE Page 2/12

**BOSTIK S755 SIL BK P WHITE** Revision Date: 28-Jul-2020 Supercedes Date: 28-Jul-2020 **Revision Number 1** 

Do NOT induce vomiting. Rinse mouth thoroughly with water. Never give anything by Ingestion

mouth to an unconscious person. Call a doctor or poison control centre immediately.

4.2. Most important symptoms and effects, both acute and delayed

**Symptoms** None known.

4.3. Indication of any immediate medical attention and special treatment needed

Note to doctors Treat symptomatically.

## SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media Use extinguishing measures that are appropriate to local circumstances and the

surrounding environment.

Unsuitable extinguishing media Full water jet. Do not scatter spilled material with high pressure water streams.

5.2. Special hazards arising from the substance or mixture

chemical

**Specific hazards arising from the** Thermal decomposition can lead to release of irritating gases and vapours.

5.3. Advice for firefighters

Special protective equipment for

fire-fighters

Wear self contained breathing apparatus for fire fighting if necessary.

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions Ensure adequate ventilation. Use personal protective equipment as required. Avoid

contact with skin, eyes or clothing.

Other information Ventilate the area. Prevent further leakage or spillage if safe to do so.

Use personal protection recommended in Section 8. For emergency responders

6.2. Environmental precautions

Prevent product from entering drains. Do not allow to enter into soil/subsoil. See Section **Environmental precautions** 

12 for additional Ecological Information.

6.3. Methods and material for containment and cleaning up

**Methods for containment** Do not scatter spilled material with high pressure water streams.

Methods for cleaning up Take up mechanically, placing in appropriate containers for disposal.

6.4. Reference to other sections

Reference to other sections See section 8 for more information. See section 13 for more information.

## SECTION 7: Handling and storage

Europe - BE Page 3 / 12

BOSTIK S755 SIL BK P WHITE
Supercedes Date: 28-Jul-2020
Revision Number 1

## 7.1. Precautions for safe handling

Advice on safe handling Ensure adequate ventilation. Use personal protective equipment as required. Avoid

contact with skin, eyes or clothing.

General hygiene considerations Handle in accordance with good industrial hygiene and safety practice. Do not eat, drink

or smoke when using this product. Wash hands before breaks and after work. Take off

all contaminated clothing and wash it before reuse.

### 7.2. Conditions for safe storage, including any incompatibilities

Storage Conditions Protect from moisture. Keep container tightly closed in a dry and well-ventilated place.

Keep away from food, drink and animal feedingstuffs.

### 7.3. Specific end use(s)

## Specific Use(s)

Sealant.

Risk Management Methods (RMM) The information required is contained in this Safety Data Sheet.

Other information Observe technical data sheet.

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

**Exposure Limits** Small amounts of methanol (CAS 67-56-1) are formed by hydrolysis and released upon

curing Small amounts of ethanol (CAS 64-17-5) are formed by hydrolysis and released

upon curing

Only European Community Occupational Exposure Limits will be shown in this document. Please refer to regional SDS for further information.

Chemical name	European Union
Methyl alcohol	TWA: 200 ppm
67-56-1	TWA: 260 mg/m <sup>3</sup>
	*

## Derived No Effect Level (DNEL) No information available

Derived No Effect Level (DNEL)				
Titanium dioxide (13463-67-7)				
Туре	Exposure route	Derived No Effect Level (DNEL)	Safety factor	
worker Long term Local health effects	Inhalation	10 mg/m <sup>3</sup>		

3-(Triethoxysilyl) propylamine (919-30-2)				
Туре	Exposure route	Derived No Effect Level (DNEL)	Safety factor	
worker Long term Systemic health effects	Inhalation	59 mg/m³		
worker Short term Systemic health effects	Inhalation	59 mg/m³		
worker Long term Systemic health effects	Dermal	8.3 mg/kg bw/d		
worker Short term Systemic health effects	Dermal	8.3 mg/kg bw/d		

Europe - BE Page 4/12

BOSTIK S755 SIL BK P WHITE
Supercedes Date: 28-Jul-2020
Revision Number 1

Derived No Effect Level (DNEL)			
Titanium dioxide (13463-67-7)			
Type	Exposure route	Derived No Effect Level (DNEL)	Safety factor
Consumer Long term Systemic health effects	Oral	700 mg/kg bw/d	

3-(Triethoxysilyl) propylamine (919-30-2)				
Туре	Exposure route	Derived No Effect Level (DNEL)	Safety factor	
Consumer Long term Systemic health effects	Inhalation	17 mg/m³		
Consumer Short term Systemic health effects	Inhalation	17.4 mg/m <sup>3</sup>		
Consumer Long term Systemic health effects	Dermal	5 mg/kg bw/d		
Consumer Short term Systemic health effects	Dermal	5 mg/kg bw/d		

# **Predicted No Effect Concentration** No information available. **(PNEC)**

Predicted No Effect Concentration (PNEC)	
Titanium dioxide (13463-67-7)	
Environmental compartment	Predicted No Effect Concentration (PNEC)
Marine water	0.0184 mg/l
Freshwater sediment	1000 mg/kg
Freshwater	0.184 mg/l
Marine sediment	100 mg/kg
Soil	100 mg/kg
Microorganisms in sewage treatment	100 mg/l
Freshwater - intermittent	0.193 mg/l

3-(Triethoxysilyl) propylamine (919-30-2)	
Environmental compartment	Predicted No Effect Concentration (PNEC)
Freshwater	0.33 mg/l
Marine water	0.033 mg/l

#### 8.2. Exposure controls

**Engineering controls** Ensure adequate ventilation, especially in confined areas.

**Personal Protective Equipment** 

**Eye/face protection** Wear safety glasses with side shields (or goggles). Eye protection must conform to

standard EN 166

Hand protection Wear suitable gloves. Recommended Use: Neoprene™. Nitrile rubber. Butyl rubber.

Glove thickness > 0.7mm. Ensure that the breakthrough time of the glove material is not exceeded. Refer to glove supplier for information on breakthrough time for specific gloves. The breakthrough time for the mentioned glove material is in general greater

than 480 min. Gloves must conform to standard EN 374

**Skin and body protection** Wear suitable protective clothing.

Respiratory protection
Recommended filter type:

Ensure adequate ventilation, especially in confined areas.
Organic gases and vapours filter conforming to EN 14387.

Environmental exposure controls Do not allow uncontrolled discharge of product into the environment.

## **SECTION 9: Physical and chemical properties**

Europe - BE Page 5/12

BOSTIK S755 SIL BK P WHITE
Supercedes Date: 28-Jul-2020
Revision Number 1

## 9.1. Information on basic physical and chemical properties

Physical stateSolidAppearancePasteColourWhiteOdourCharacteristic

Odour threshold No information available

Property Values Remarks • Method

pH No data available

Melting point / freezing point

Boiling point / boiling range
Flash point > 300 °C

Fvaporation rate

No data available

No data available

No data available

Flammability (solid, gas) Not applicable for liquids .

Flammability Limit in Air

Upper flammability or explosive No data available

limits

Lower flammability or explosive No data available

limits

Vapour pressure 100 hPa @ 20 °C

Vapour densityNo data availableRelative densityNo data availableWater solubilityImmiscible in waterSolubility(ies)No data availablePartition coefficientNo data availableAutoignition temperatureNo data available

**Decomposition temperature** 

Kinematic viscosity

Dynamic viscosity

Explosive properties

Oxidising properties

>21 mm²/s

No data available
No data available
No data available

9.2. Other information

Solid content (%) No information available

 VOC Content (%)
 0 g/L / 0 %

 Density
 1.02 g/cm³

## **SECTION 10: Stability and reactivity**

10.1. Reactivity

**Reactivity** Product cures with moisture.

10.2. Chemical stability

**Stability** Stable under normal conditions.

**Explosion data** 

Sensitivity to mechanical None.

impact

Sensitivity to static discharge None.

10.3. Possibility of hazardous reactions

Possibility of hazardous reactions None under normal processing.

10.4. Conditions to avoid

**Conditions to avoid** Protect from moisture.

Europe - BE Page 6/12

BOSTIK S755 SIL BK P WHITE
Supercedes Date: 28-Jul-2020
Revision Number 1

\_\_\_\_\_

\_\_\_

10.5. Incompatible materials

**Incompatible materials**None known based on information supplied.

10.6. Hazardous decomposition products

Hazardous decomposition

products

Small amounts of methanol (CAS 67-56-1) are formed by hydrolysis and released, when the product is exposed to moisture or water. Small amounts of ethanol (CAS 64-17-5)

are formed by hydrolysis and released upon curing.

## **SECTION 11: Toxicological information**

## 11.1. Information on toxicological effects

Information on likely routes of exposure

Product Information

**Inhalation** Based on available data, the classification criteria are not met.

Eye contact Based on available data, the classification criteria are not met.

**Skin contact** Based on available data, the classification criteria are not met.

**Ingestion** Based on available data, the classification criteria are not met.

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms None known.

Numerical measures of toxicity

**Acute toxicity** 

The following values are calculated based on chapter 3.1 of the GHS document

**ATEmix (oral)** 94,416.70 mg/kg **ATEmix (dermal)** 8,801.10 mg/kg

#### **Component Information**

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
2-Pentanone oxime	LD50 = 1133 mg/kg (Rattus)		
623-40-5	OECD 425		
Titanium dioxide 13463-67-7	>10000 mg/kg (Rattus)		
3-(Triethoxysilyl) propylamine 919-30-2	LD50 = 1490 mg/kg (Rat, female) EPA OTS 798.1175	LD50 = 4075 mg/kg (Oryctolagus cuniculus) EPA OTS 798.1100	LC50 >144 mg/L (6h) Rat (Vapour)

## Delayed and immediate effects as well as chronic effects from short and long-term exposure

**Skin corrosion/irritation** Based on available data, the classification criteria are not met.

Serious eye damage/eye irritation Based on available data, the classification criteria are not met.

Respiratory or skin sensitisation Based on available data, the classification criteria are not met.

Europe - BE Page 7/12

BOSTIK S755 SIL BK P WHITE
Supercedes Date: 28-Jul-2020
Revision Number 1

\_\_\_

**Germ cell mutagenicity** Based on available data, the classification criteria are not met.

Carcinogenicity As Titanium dioxide (13463-67-7) is inextricably bound in the polymer matrix, it is not

expected to be available as an airborne hazard (dust, mist, or spray) under normal condition of uses. Based on available data, the classification criteria are not met.

Chemical name	European Union		
Titanium dioxide	Carc. 2		
13463-67-7			

Reproductive toxicity Based on available data, the classification criteria are not met.

**STOT - single exposure** Based on available data, the classification criteria are not met.

**STOT - repeated exposure** Based on available data, the classification criteria are not met.

Aspiration hazard Based on available data, the classification criteria are not met.

## **SECTION 12: Ecological information**

## **12.1. Toxicity**

Ecotoxicity

Chemical name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea	M-Factor	M-Factor (long-term)
2-Pentanone oxime 623-40-5	EC50 (72h) = 54 mg/L (Pseudokirchner iella subcapitata) OECD 201	100 mg/Ĺ	-	EC50 (48h) > 100 mg/l (Daphnia magna) OECD Guideline 202		
Titanium dioxide 13463-67-7	LC50 (96h) >10000 mg/l (Cyprinodon variegatus) OECD 203	-	-	-		
3-(Triethoxysilyl) propylamine 919-30-2	EC50 (72h) >1000 mg/L Green algae (desmodesmus subspicatus) (OECD TG 201)	LC50 (96h) >934 mg/L (Brachydanio rerio) (OECD TG 203)	-	EC50 (48h) =331 mg/L Daphnia magna (OECD TG 202)		

### 12.2. Persistence and degradability

Persistence and degradability No information available.

12.3. Bioaccumulative potential

**Bioaccumulation** There is no data for this product.

Europe - BE Page 8/12

BOSTIK S755 SIL BK P WHITE
Supercedes Date: 28-Jul-2020
Revision Number 1

## **Component Information**

Chemical name	Partition coefficient	Bioconcentration factor (BCF)
2-Pentanone oxime	1.43	-
623-40-5		
3-(Triethoxysilyl) propylamine	1.7	3.4
919-30-2		

## 12.4. Mobility in soil

**Mobility in soil** No information available.

### 12.5. Results of PBT and vPvB assessment

PBT and vPvB assessment . The components in this formulation do not meet the criteria for classification as PBT or vPvB.

Chemical name	PBT and vPvB assessment
2-Pentanone oxime 623-40-5	The substance is not PBT / vPvB
Titanium dioxide 13463-67-7	The substance is not PBT / vPvB PBT assessment does not apply
3-(Triethoxysilyl) propylamine 919-30-2	The substance is not PBT / vPvB

#### 12.6. Other adverse effects

Other adverse effects No information available.

## **SECTION 13: Disposal considerations**

#### 13.1. Waste treatment methods

Waste from residues/unused

products

Dispose of contents/container in accordance with local, regional, national, and

international regulations as applicable.

**Contaminated packaging** Handle contaminated packages in the same way as the product itself.

European Waste Catalogue 08 04 10 waste adhesives and sealants other than those mentioned in 08 04 09

Other information Waste codes should be assigned by the user based on the application for which the

product was used.

## **SECTION 14: Transport information**

## Land transport (ADR/RID)

14.1 UN numberNot regulated14.2 Proper Shipping NameNot regulated14.3 Transport hazard class(es)Not regulated14.4 Packing groupNot regulated14.5 Environmental hazardsNot applicable14.6 Special ProvisionsNone

### **IMDG**

14.1 UN number
Not regulated

Europe - BE Page 9/12

BOSTIK S755 SIL BK P WHITE
Supercedes Date: 28-Jul-2020
Revision Number 1

\_\_\_\_\_

14.5 Marine pollutant No

14.6 Special Provisions None

14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code Not applicable

### Air transport (ICAO-TI / IATA-DGR)

14.1 UN numberNot regulated14.2 Proper Shipping NameNot regulated14.3 Transport hazard class(es)Not regulated14.4 Packing groupNot regulated14.5 Environmental hazardsNot applicable

**14.6 Special Provisions** None

## Section 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

**European Union** 

Registration, Evaluation, Authorization, and Restriction of Chemicals (REACh) Regulation (EC 1907/2006)

### **SVHC: Substances of Very High Concern for Authorisation:**

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

## EU-REACH (1907/2006) - Annex XVII - Substances subject to Restriction

This product does not contain substances subject to restriction (Regulation (EC) No. 1907/2006 (REACH), Annex XVII).

## Substance subject to authorisation per REACH Annex XIV

This product does not contain substances subject to authorisation (Regulation (EC) No. 1907/2006 (REACH), Annex XIV)

## Biocidal Products Regulation (EU) No 528/2012 (BPR)

This product contains a biocidal product for the preservation of the dry film Contains: 2-octyl-2H-isothiazol-3-one [OIT]

## Ozone-depleting substances (ODS) regulation (EC) 1005/2009

Not applicable

#### **Persistent Organic Pollutants**

Not applicable

## National regulations

<u>France</u>

#### Germany

#### Ordinance on Industrial Safety and Health - Germany - BetrSichV

No flammable liquids in accordance with BetrSichV

Water hazard class (WGK) slightly hazardous to water (WGK 1)

Europe - BE Page 10/12

BOSTIK S755 SIL BK P WHITE
Supercedes Date: 28-Jul-2020
Revision Number 1

\_\_\_

TRGS - 510 Storage Class Storage Class 13 : Non-combustible solids

Netherlands

List of Carcinogenic, mutagenic and reproductive toxin substances in accordance with Inspectorate SZW (Netherlands)

Denmark

**MAL-Code** 00-1 (1993)

Sweden

Occupational exposure limits AFS 2018:1

### 15.2. Chemical safety assessment

Chemical Safety Assessments have been carried out by the Reach registrants for substances registered at >10 tpa. No Chemical Safety Assessment has been carried out for this mixture

## **SECTION 16: Other information**

### Key or legend to abbreviations and acronyms used in the safety data sheet

#### Full text of H-Statements referred to under section 3

H302 - Harmful if swallowed

H314 - Causes severe skin burns and eye damage

H317 - May cause an allergic skin reaction

H319 - Causes serious eye irritation

H412 - Harmful to aquatic life with long lasting effects

Legend

TWA TWA (time-weighted average)
STEL STEL (Short Term Exposure Limit)

Ceiling Limit Value
\* Skin designation

SVHC Substance(s) of Very High Concern

PBT Persistent, Bioaccumulative, and Toxic (PBT) Chemicals vPvB Very Persistent and very Bioaccumulative (vPvB) Chemicals

STOT RE Specific target organ toxicity - Repeated exposure STOT SE Specific target organ toxicity - Single exposure

EWC European Waste Catalogue

## Key literature references and sources for data

No information available

Prepared By Product Safety & Regulatory Affairs

Revision Date: 28-Jul-2020

Indication of changes

**Revision note** SDS sections updated: 3, 8, 11, 12, 15.

Training Advice No information available

Further information No information available

This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006

Europe - BE Page 11/12

BOSTIK S755 SIL BK P WHITE
Supercedes Date: 28-Jul-2020
Revision Number 1

\_\_\_\_\_

#### Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**End of Safety Data Sheet** 

Europe - BE Page 12/12