

This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008 This SDS is for generic information purposes and does not reflect required country specific information for OEL

LIGHT PREMIUM VÄGGSPACKEL

Supercedes Date: 02-Jun-2020

Revision date 02-Jun-2020 Revision Number 1

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product Identifier

Product Name	
Pure substance/mixture	

LIGHT PREMIUM VÄGGSPACKEL Mixture

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use	Fillers, putties, plasters, modelling clay.
Uses advised against	None known.

1.3. Details of the supplier of the safety data sheet

Company Name Bostik AB Strandbadsvaegen 22 PO Box 903 25109 Helsingborg, Sweden Tel: +46 42 19 50 00 Fax: +46 42 19 50 20

E-mail address

SDS.box-EU@bostik.com

1.4. Emergency telephone number

Emergency Telephone

No information available

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No 1272/2008

Not classified

2.2. Label Elements

Not classified

Signal word None

Hazard statements Not classified

EU Specific Hazard Statements

EUH208 - Contains reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) [C(M)IT/MIT]. May produce an allergic reaction. EUH210 - Safety data sheet available on request.

2.3. Other Hazards

No information available

LIGHT PREMIUM VÄGGSPACKEL

Supercedes Date: 02-Jun-2020

PBT & vPvB

This mixture contains no substance considered to be persistent, bioaccumulating or toxic (PBT) This mixture contains no substance considered to be very persistent nor very bioaccumulating (vPvB)

SECTION 3: Composition/information on ingredients

3.1 Substances

Not applicable

3.2. Mixtures

Chemical name	EC No	CAS No.	Weight-%	Classification according to Regulation (EC) No. 1272/2008 [CLP]	Specific concentration limit (SCL)	REACH Registration Number
reaction mass of 5-chloro-2-methyl-2H-iso thiazol-3-one and 2-methyl-2H-isothiazol-3 -one (3:1) [C(M)IT/MIT]	611-341-5	55965-84-9	<0.0015	Acute Tox. 3 (H301) Acute Tox. 2 (H310) Acute Tox. 2 (H330) Skin Corr. 1C (H314) Eye Dam. 1 (H318) Skin Sens. 1A (H317) Aquatic Acute 1 (H400) Aquatic Chronic 1 (H410) M Factor Acute = 100 M Factor Chronic = 100	Eye Dam. 1 :: C>=0.6% Irrit. 2 :: 0.06%<=C<0.6% Skin Corr. 1B :: C>=0.6% Skin Irrit. 2 :: 0.06%<=C<0.6% Skin Sens. 1 :: C>=0.0015%	01-2120764691- 48-XXXX

Full text of H- and EUH-phrases: see section 16

Note: ^ indicates not classified, however, the substance is listed in section 3 as it has an OEL

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

SECTION 4: First aid measures		
4.1. Description of first aid measures		
General advice	If medical advice is needed, have product container or label at hand. Show this safety data sheet to the doctor in attendance.	
Inhalation	Remove to fresh air. IF exposed or concerned: Get medical advice/attention.	
Eye contact	Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids. Consult a doctor.	

LIGHT PREMIUM VÄGGSPACKEL

Skin contact	Wash skin with soap and water. In the case of skin irritation or allergic reactions see a doctor.
Ingestion	Clean mouth with water. Do NOT induce vomiting. Drink 1 or 2 glasses of water. Never give anything by mouth to an unconscious person.
4.2. Most important symptoms and	d effects, both acute and delayed
Symptoms	No information available.
4.3. Indication of any immediate m	nedical attention and special treatment needed
Note to doctors	Treat symptomatically.
SECTION 5: Firefighting me 5.1. Extinguishing media	asures
Suitable extinguishing media	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Unsuitable extinguishing media	Full water jet. Do not scatter spilled material with high pressure water streams.
5.2. Special hazards arising from t	he substance or mixture
Specific hazards arising from the chemical	Thermal decomposition can lead to release of toxic and corrosive gases/vapours.
5.3. Advice for firefighters	
Special protective equipment for fire-fighters	Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.
SECTION 6: Accidental relea	ase measures
6.1. Personal precautions, protect	ive equipment and emergency procedures
Personal precautions	Ensure adequate ventilation. Avoid contact with skin, eyes or clothing.
Other information	Ventilate the area. Prevent further leakage or spillage if safe to do so.
For emergency responders	Use personal protection recommended in Section 8.
6.2. Environmental precautions	
Environmental precautions	Do not flush into surface water or sanitary sewer system. Do not allow to enter into soil/subsoil. See Section 12 for additional Ecological Information.
6.3. Methods and material for cont	ainment and cleaning up
Methods for containment	Do not scatter spilled material with high pressure water streams.
Methods for cleaning up	Take up mechanically, placing in appropriate containers for disposal.
6.4. Reference to other sections	
Reference to other sections	See section 8 for more information. See section 13 for more information.

SECTION 7: Handling and storage

LIGHT PREMIUM VÄGGSPACKEL

Supercedes Date: 02-Jun-2020

7.1. Precautions for safe handling		
Advice on safe handling	Ensure adequate ventilation. Use personal protective equipment as required. Avoid contact with skin, eyes or clothing.	
General hygiene considerations	Handle in accordance with good industrial hygiene and safety practice. Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Take off all contaminated clothing and wash it before reuse.	
7.2. Conditions for safe storage, in	cluding any incompatibilities	
Storage Conditions	Keep tightly closed in a dry and cool place. Store at room temperature. Keep from freezing.	
7.3. Specific end use(s)		
Specific Use(s) Fillers, putties, plasters, modelling clay.		
Risk Management Methods (RMM)	The information required is contained in this Safety Data Sheet.	
Other information	Observe technical data sheet.	

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure Limits

Only European Community Occupational Exposure Limits will be shown in this document. Please refer to regional SDS for further information.

Derived No Effect Level (DNEL) No information available

Predicted No Effect Concentration No information available. **(PNEC)**

8.2. Exposure controls

Engineering controls Ensure adequate ventilation, especially in confined areas.

Personal Protective Equipment

Eye/face protection
Hand protectionTight sealing safety goggles.Wear protective gloves. Recommended Use:. Nitrile rubber. Butyl rubber. Gloves must
conform to standard EN 374. The breakthrough time for the mentioned glove material is
in general greater than 480 min. Gloves should be replaced regularly and if there is any
sign of damage to the glove material.Skin and body protection
Respiratory protectionSuitable protective clothing.
None under normal use conditions.

Environmental exposure controls No information available.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

LIGHT PREMIUM VÄGGSPACKEL

Supercedes Date: 02-Jun-2020

Revision date 02-Jun-2020 **Revision Number** 1

Remarks • Method

Physical state Liquid Paste Appearance Colour Light Grey Odour No information available No information available **Odour threshold** Property Values 8 - 9 0 °C рΗ Melting point / freezing point > 100 °C Boiling point / boiling range Flash point No data available **Evaporation rate** No data available Flammability (solid, gas) Not applicable for liquids . Flammability Limit in Air Upper flammability or explosive No data available limits Lower flammability or explosive No data available limits Vapour pressure No data available No data available Vapour density Relative density No data available Water solubility Soluble in water Solubility(ies) No data available Partition coefficient No data available Autoignition temperature No data available Hyphen No data available Kinematic viscosity No data available **Dynamic viscosity** No data available **Explosive properties** No data available **Oxidising properties** No data available 9.2. Other information No information available Solid content (%) VOC Content (%) No information available

SECTION 10: Stability and reactivity

10.1. Reactivity

Density

Reactivity	No information available.	
10.2. Chemical stability		
Stability	Stable under normal conditions.	
Explosion Data Sensitivity to mechanical impact Sensitivity to static discharge	None. None.	
10.3. Possibility of hazardous reactions		
Possibility of hazardous reactions	None under normal processing.	
10.4 Conditions to avoid		

1.2 g/cm³

10.4. Conditions to avoid

Keep from freezing. Conditions to avoid

10.5. Incompatible materials

LIGHT PREMIUM VÄGGSPACKEL

Supercedes Date: 02-Jun-2020

Incompatible materials None known based on information supplied.

10.6. Hazardous decomposition products

Hazardous decomposition None under normal use conditions. Stable under recommended storage conditions. products

SECTION 11: Toxicological information

11.1.	Information	on	toxico	logical	effects

Information on likely routes of exposure

Product Information

Inhalation	Based on available data, the classification criteria are not met.
Eye contact	Based on available data, the classification criteria are not met.
Skin contact	Based on available data, the classification criteria are not met.
Ingestion	Based on available data, the classification criteria are not met.
Symptoms related to the physical, chemical and toxicological characteristics	

Symptoms No information available.

Numerical measures of toxicity

Acute Toxicity

Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
reaction mass of	=53 mg/kg (Rattus)	LD50 = 87.12 mg/kg	
5-chloro-2-methyl-2H-isothiazo		(Oryctolagus cuniculus)	
I-3-one and			
2-methyl-2H-isothiazol-3-one			
(3:1) [C(M)IT/MIT]			
55965-84-9			

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation	Based on available data, the classification criteria are not met.
Serious eye damage/eye irritation	Based on available data, the classification criteria are not met.
Respiratory or skin sensitisation	Based on available data, the classification criteria are not met.
Germ cell mutagenicity	Based on available data, the classification criteria are not met.
Carcinogenicity	Based on available data, the classification criteria are not met.

LIGHT PREMIUM VÄGGSPACKEL

Supercedes Date: 02-Jun-2020

The table below indicates whether each agency has listed any ingredient as a carcinogen.

Reproductive toxicity	Based on available data, the classification criteria are not met.
STOT - single exposure	Based on available data, the classification criteria are not met.
STOT - repeated exposure	Based on available data, the classification criteria are not met.
Aspiration hazard	Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

12.1. Toxicity

Ecotoxicity

Chemical name	Algae/aquatic plants	Fish	Toxicity to Micro-organisms	Crustacea	M-Factor	M-Factor (long-term)
reaction mass of 5-chloro-2-methyl-2H-is othiazol-3-one and 2-methyl-2H-isothiazol- 3-one (3:1) [C(M)IT/MIT] 55965-84-9	(Pseudokirchner	EC50 (96h) = 0.22 mg/L (Oncorhynchus mykiss) (OECD 211)		EC50 (48h) =0.1 mg/L (Daphnia magna) (OECD 202)	100	100

12.2. Persistence and degradability

Persistence and degradability No information available.

12.3. Bioaccumulative potential

Bioaccumulation There is no data for this product.

Component Information

Chemical name	Partition coefficient	Bioconcentration factor (BCF)
reaction mass of	-	3.16
5-chloro-2-methyl-2H-isothiazol-3-one and		
2-methyl-2H-isothiazol-3-one (3:1)		
[C(M)IT/MIT]		
55965-84-9		

12.4. Mobility in soil

Mobility in soil

No information available.

.

12.5. Results of PBT and vPvB assessment

PBT and vPvB assessment

Chemical name	PBT and vPvB assessment
reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) [C(M)IT/MIT] 55965-84-9	The substance is not PBT / vPvB

LIGHT PREMIUM VÄGGSPACKEL

Supercedes Date: 02-Jun-2020

12.6. Other adverse effects

Other adverse effects

No information available.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste from residues/unused products	Dispose of contents/container in accordance with local, regional, national, and international regulations as applicable.
Contaminated packaging	Do not reuse empty containers. Handle contaminated packages in the same way as the product itself.
Waste codes / waste designations according to EWC / AVV	08 04 10 waste adhesives and sealants other than those mentioned in 08 04 09.
Other information	Waste codes should be assigned by the user based on the application for which the product was used.

SECTION 14: Transport information

Note:	Keep from freezing.	
Land transport (ADR/RID)		
14.1 UN Number	Not regulated	
14.2 Proper Shipping Name	Not regulated	
14.3 Transport hazard class(es)	Not regulated	
14.4 Packing Group	Not regulated	
14.5 Environmental hazards	Not applicable	
14.6 Special Provisions	None	
IMDG		
14.1 UN number	Not regulated	
14.2 Proper Shipping Name	Not regulated	
14.3 Transport hazard class(es)	Not regulated	
14.4 Packing group	Not regulated	
14.5 Marine Pollutant	Np	
14.6 Special Provisions	None	
14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code Not applicable		
Air transport (ICAO-TI / IATA-DGR)	

All transport (ICAO-11/ IATA-DGR)		
14.1 UN number	Not regulated	
14.2 Proper Shipping Name	Not regulated	
14.3 Transport hazard class(es)	Not regulated	
14.4 Packing group	Not regulated	
14.5 Environmental hazards	Not applicable	
14.6 Special Provisions	None	

Section 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

European Union

LIGHT PREMIUM VÄGGSPACKEL

Supercedes Date: 02-Jun-2020

Registration, Evaluation, Authorization, and Restriction of Chemicals (REACh) Regulation (EC 1907/2006)

SVHC: Substances of Verv High Concern for Authorisation:

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

EU-REACH (1907/2006) - Annex XVII - Substances subject to Restriction

This product does not contain substances subject to restriction (Regulation (EC) No. 1907/2006 (REACH), Annex XVII).

Substance subject to authorisation per REACH Annex XIV This product does not contain substances subject to authorisation (Regulation (EC) No. 1907/2006 (REACH), Annex XIV)

Biocidal Products Regulation (EU) No 528/2012 (BPR)

Contains a biocide : Contains C(M)IT/MIT (3:1). May produce an allergic reaction

Ozone-depleting substances (ODS) regulation (EC) 1005/2009 Not applicable

Persistent Organic Pollutants Not applicable

National Regulations

France

Germany

Ordinance on Industrial Safety and Health - Germany - BetrSichV No flammable liquids in accordance with BetrSichV

Water hazard class (WGK) slightly hazardous to water (WGK 1)

Netherlands

List of Carcinogenic, mutagenic and reproductive toxin substances in accordance with Inspectorate SZW (Netherlands) Not Listed

MAL-Code 00-1

15.2. Chemical safety assessment

Chemical Safety Assessments have been carried out by the Reach registrants for substances registered at >10 tpa. No Chemical Safety Assessment has been carried out for this mixture

SECTION 16: Other information

Key or legend to abbreviations and acronyms used in the safety data sheet

Full text of H-Statements referred to under section 3

LIGHT PREMIUM VÄGGSPACKEL

Supercedes Date: 02-Jun-2020

H301 - Toxic if swallowed H310 - Fatal in contact with skin H314 - Causes severe skin burns and eye damage H317 - May cause an allergic skin reaction H318 - Causes serious eye damage H330 - Fatal if inhaled H400 - Very toxic to aquatic life H410 - Very toxic to aquatic life with long lasting effects		
Legend		
TWA	TWA (time-weighted average)	
STEL	STEL (Short Term Exposure Limit)	
Ceiling	Ceiling Limit Value	
*	Skin designation	
SVHC	Substance(s) of Very High Concern	
PBT	Persistent, Bioaccumulative, and Toxic (PBT) Chemicals	
vPvB	Very Persistent and very Bioaccumulative (vPvB) Chemicals	
STOT RE	Specific target organ toxicity - Repeated exposure	
STOT SE	Specific target organ toxicity - Single exposure	
EWC	European Waste Catalogue	

Key literature references and sources for data No information available

Prepared By	Product Safety & Regulatory Affairs
Revision date	02-Jun-2020
Indication of changes	
Revision note	Not applicable.
Training Advice	No information available
Further information	No information available

This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet