

This safety data sheet was created pursuant to the requirements of:
Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008
This SDS is for generic information purposes and does not reflect required country specific information for OEL

BOSTIK PERFECT SEAL KITCHEN & BATHROOM WHITE

Supercedes Date: 04-Mar-2020

Revision date 30-Mar-2020 Revision Number 1.02

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product Identifier

Product Name BOSTIK PERFECT SEAL KITCHEN & BATHROOM WHITE

Pure substance/mixture Mixture

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use Sealant.
Uses advised against None known.

1.3. Details of the supplier of the safety data sheet

Company Name

Bostik SA 420 rue d'Estienne d'Orves 92700 Colombes FRANCE

Tel: +33 (0)1 49 00 90 00

E-mail address SDS.box-EU@bostik.com

1.4. Emergency telephone number

Emergency Telephone No information available

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No 1272/2008

Not classified

2.2. Label Elements

Not classified

Signal word

None

Hazard statements

Not classified

EU Specific Hazard Statements

EUH208 - Contains 3-(Triethoxysilyl) propylamine. May produce an allergic reaction.

EUH210 - Safety data sheet available on request.

Precautionary statements

P101 - If medical advice is needed, have product container or label at hand.

P102 - Keep out of reach of children.

2.3. Other Hazards

Europe - BE Page 1/11

Revision date 30-Mar-2020

BOSTIK PERFECT SEAL KITCHEN & BATHROOM WHITE

Supercedes Date: 04-Mar-2020 Revision Number 1.02

Small amounts of methanol (CAS 67-56-1) are formed by hydrolysis and released upon curing Small amounts of ethanol (CAS 64-17-5) are formed by hydrolysis and released upon curing

PBT and vPvB assessment

SECTION 3: Composition/information on ingredients

3.1 Substances

Not applicable

3.2. Mixtures

| Chemical name | EC No. | CAS No. | Weight-% | Classification according to Regulation (EC) No. 1272/2008 [CLP] | Specific concentration limit (SCL) | REACH Registration Number |
|--------------------------------|-----------|----------|----------|---|--|---------------------------------|
| 2-Pentanone oxime | 484-470-6 | 623-40-5 | 1 - <2.5 | Acute Tox. 4 (H302) Eye Irrit. 2 (H319) Aquatic Chronic 3 (H412) | | 01-2119980079- 27-XXXX |
| 3-(Triethoxysilyl) propylamine | 213-048-4 | 919-30-2 | 0.1- <1 | Skin Corr. 1B (H314) Skin Sens. 1 (H317) Acute Tox. 4 (H302) | | 01-2119480479- 24-XXXX |

Full text of H- and EUH-phrases: see section 16

Note: ^ indicates not classified, however, the substance is listed in section 3 as it has an OEL

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

SECTION 4: First aid measures

4.1. Description of first aid measures

General advice If medical advice is needed, have product container or label at hand. Show this safety

data sheet to the doctor in attendance.

Inhalation Remove to fresh air. IF exposed or concerned: Get medical advice/attention.

Eye contact Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper

eyelids. Consult a doctor.

Skin contact Wash skin with soap and water. In the case of skin irritation or allergic reactions see a

doctor.

Ingestion Clean mouth with water. Do NOT induce vomiting. Drink 1 or 2 glasses of water. Never

give anything by mouth to an unconscious person.

Europe - BE Page 2/11

BOSTIK PERFECT SEAL KITCHEN & BATHROOM WHITE

Supercedes Date: 04-Mar-2020

4.2. Most important symptoms and effects, both acute and delayed

Symptoms No information available.

4.3. Indication of any immediate medical attention and special treatment needed

Note to doctors Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media Use extinguishing measures that are appropriate to local circumstances and the

surrounding environment.

Unsuitable extinguishing media Full water jet. Do not scatter spilled material with high pressure water streams.

5.2. Special hazards arising from the substance or mixture

Specific hazards arising from the

chemical

Thermal decomposition can lead to release of toxic and corrosive gases/vapours.

Revision date 30-Mar-2020

Revision Number 1.02

Carbon monoxide. Carbon dioxide (CO2). Hazardous combustion products

5.3. Advice for firefighters

Special protective equipment for

fire-fighters

Firefighters should wear self-contained breathing apparatus and full firefighting turnout

gear. Use personal protection equipment.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions Ensure adequate ventilation. Avoid contact with skin, eyes or clothing.

Other information Ventilate the area. Prevent further leakage or spillage if safe to do so.

Use personal protection recommended in Section 8. For emergency responders

6.2. Environmental precautions

Do not flush into surface water or sanitary sewer system. Do not allow to enter into **Environmental precautions**

soil/subsoil. See Section 12 for additional Ecological Information.

6.3. Methods and material for containment and cleaning up

Methods for containment Do not scatter spilled material with high pressure water streams.

Methods for cleaning up Take up mechanically, placing in appropriate containers for disposal.

6.4. Reference to other sections

See section 8 for more information. See section 13 for more information. Reference to other sections

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Ensure adequate ventilation. Use personal protective equipment as required. Avoid Advice on safe handling

contact with skin, eyes or clothing.

Europe - BE Page 3/11

BOSTIK PERFECT SEAL KITCHEN & BATHROOM WHITE

General hygiene considerations Handle in accordance with good industrial hygiene and safety practice. Do not eat, drink

or smoke when using this product. Wash thoroughly after handling. Take off all

Revision date 30-Mar-2020

Revision Number 1.02

contaminated clothing and wash it before reuse.

7.2. Conditions for safe storage, including any incompatibilities

Storage Conditions Keep container tightly closed in a dry and well-ventilated place. Keep away from food,

drink and animal feedingstuffs.

7.3. Specific end use(s)

Supercedes Date: 04-Mar-2020

Specific Use(s)

Sealant.

Risk Management Methods (RMM) The information required is contained in this Safety Data Sheet.

Other information Observe technical data sheet.

SECTION 8: Exposure controls/Personal protection

8.1. Control parameters

Exposure Limits Small amounts of methanol (CAS 67-56-1) are formed by hydrolysis and released upon

curing Small amounts of ethanol (CAS 64-17-5) are formed by hydrolysis and released

upon curing

Only European Community Occupational Exposure Limits will be shown in this document. Please refer to regional SDS for further information.

| Chemical name | European Union | |
|----------------|----------------------------|--|
| Methyl alcohol | TWA: 200 ppm | |
| 67-56-1 | TWA: 260 mg/m ³ | |
| | * | |

Derived No Effect Level (DNEL) No information available

| Derived No Effect Level (DNEL) | | | |
|---|--|--|--|
| 3-(Triethoxysilyl) propylamine (919-30-2) | | | |
| Туре | worker Long term Systemic health effects | | |
| Exposure route | Inhalation | | |
| Derived No Effect Level (DNEL) | 59 mg/m³ | | |
| | | | |

| Туре | worker Short term Systemic health effects | |
|--------------------------------|---|--|
| Exposure route | Inhalation | |
| Derived No Effect Level (DNEL) | 59 mg/m³ | |

| Туре | worker Long term Systemic health effects | |
|--------------------------------|--|--|
| Exposure route | Dermal | |
| Derived No Effect Level (DNEL) | 8.3 mg/kg bw/d | |

| Туре | worker Short term Systemic health effects | | |
|--------------------------------|---|--|--|
| Exposure route | Dermal | | |
| Derived No Effect Level (DNEL) | 8.3 mg/kg bw/d | | |

| Derived No Effect Level (DNEL) | | | |
|---|--|--|--|
| 3-(Triethoxysilyl) propylamine (919-30-2) | | | |
| Type | Consumer Long term Systemic health effects | | |
| Exposure route | Inhalation | | |
| Derived No Effect Level (DNEL) | 17 mg/m³ | | |

Europe - BE Page 4/11

BOSTIK PERFECT SEAL KITCHEN & BATHROOM WHITE

Supercedes Date: 04-Mar-2020

| Type | Consumer Short term Systemic health effects | | |
|--------------------------------|---|--|--|
| Exposure route | Inhalation | | |
| Derived No Effect Level (DNEL) | 17.4 mg/m³ | | |
| | | | |
| Type | Consumer Long term Systemic health effects | | |
| Exposure route | Dermal | | |

| - 7 - | |
|--------------------------------|--------------|
| Exposure route | Dermal |
| Derived No Effect Level (DNEL) | 5 mg/kg bw/d |
| | |

| Туре | Consumer Short term Systemic health effects |
|--------------------------------|---|
| Exposure route | Dermal |
| Derived No Effect Level (DNEL) | 5 mg/kg bw/d |

Predicted No Effect Concentration No information available. (PNEC)

| Predicted No Effect Concentration (PNEC) | | | |
|---|--|--|--|
| 3-(Triethoxysilyl) propylamine (919-30-2) | | | |
| Environmental compartment | Predicted No Effect Concentration (PNEC) | | |
| Freshwater | 0.33 mg/l | | |
| Marine water | 0.033 mg/l | | |

8.2. Exposure controls

Ensure adequate ventilation, especially in confined areas. **Engineering controls**

Personal Protective Equipment

Eye/face protection Wear safety glasses with side shields (or goggles). Eye protection must conform to

standard EN 166

Wear suitable gloves. Recommended Use:. Neoprene™. Nitrile rubber. Butyl rubber. Hand protection

Ensure that the breakthrough time of the glove material is not exceeded. Refer to glove supplier for information on breakthrough time for specific gloves. The breakthrough time for the mentioned glove material is in general greater than 480 min. Glove thickness >

Revision date 30-Mar-2020

Revision Number 1.02

0.7mm. Gloves must conform to standard EN 374

Skin and body protection

Suitable protective clothing.

None under normal use conditions. In case of inadequate ventilation wear respiratory Respiratory protection

protection. Wear a respirator conforming to EN 140 with Type A/P2 filter or better.

Ensure adequate ventilation, especially in confined areas.

Organic gases and vapours filter conforming to EN 14387. Brown. White. Recommended filter type:

Environmental exposure controls Do not allow uncontrolled discharge of product into the environment.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state Liquid **Appearance** Paste Colour White Odour Characteristic

No information available **Odour threshold**

Remarks • Method **Property** Values

No data available pН Melting point / freezing point No data available > 300 °C Boiling point / boiling range > 100 °C Flash point **Evaporation rate** No data available Flammability (solid, gas) Not applicable for liquids .

Flammability Limit in Air

Upper flammability or explosive No data available

Europe - BE Page 5/11

BOSTIK PERFECT SEAL KITCHEN & BATHROOM WHITE

Revision date 30-Mar-2020

Revision Number 1.02

limits

Supercedes Date: 04-Mar-2020

Lower flammability or explosive No data available

limits

Vapour pressure 100 hPa @ 20 °C

Vapour density No data available Relative density No data available Water solubility Immiscible in water Solubility(ies) No data available **Partition coefficient** No data available **Autoignition temperature** No data available °C **Decomposition temperature** No data available Kinematic viscosity No data available **Dynamic viscosity** No data available **Explosive properties** No data available **Oxidising properties** No data available

9.2. Other information

Solid content (%) No information available

VOC Content (%) 0 g/L / 0 % **Density** 1.02 g/cm³

SECTION 10: Stability and reactivity

10.1. Reactivity

Reactivity No information available.

10.2. Chemical stability

Stability Stable under normal conditions.

Explosion Data

Sensitivity to mechanical None.

impact

Sensitivity to static discharge None.

10.3. Possibility of hazardous reactions

Possibility of hazardous reactions None under normal processing.

10.4. Conditions to avoid

Conditions to avoid None known based on information supplied.

10.5. Incompatible materials

Incompatible materialsNone known based on information supplied.

10.6. Hazardous decomposition products

Hazardous decompositionNone under normal use conditions. Stable under recommended storage conditions.

products

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Information on likely routes of exposure

Product Information .

Europe - BE Page 6/11

BOSTIK PERFECT SEAL KITCHEN & BATHROOM WHITE

Revision date 30-Mar-2020

Revision Number 1.02

Inhalation Based on available data, the classification criteria are not met.

Eye contact Based on available data, the classification criteria are not met.

Skin contact Based on available data, the classification criteria are not met.

Ingestion Based on available data, the classification criteria are not met.

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms No information available.

Numerical measures of toxicity

Supercedes Date: 04-Mar-2020

Acute Toxicity

The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (oral) 94,416.70 mg/kg **ATEmix (dermal)** 8,801.10 mg/kg

Component Information

| Chemical name | Oral LD50 | Dermal LD50 | Inhalation LC50 |
|--------------------------------|----------------------------|-----------------------------|-------------------------|
| 2-Pentanone oxime | LD50 = 1133 mg/kg (Rattus) | | |
| 623-40-5 | OECD 425 | | |
| 3-(Triethoxysilyl) propylamine | LD50 = 1490 mg/kg (Rat, | LD50 = 4075 mg/kg | LC50 >144 mg/L (6h) Rat |
| 919-30-2 | female) EPA OTS 798.1175 | (Oryctolagus cuniculus) EPA | (Vapour) |
| | | OTS 798.1100 | |

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation Based on available data, the classification criteria are not met.

Serious eye damage/eye irritation Based on available data, the classification criteria are not met.

Respiratory or skin sensitisation Based on available data, the classification criteria are not met.

Germ cell mutagenicity Based on available data, the classification criteria are not met.

Carcinogenicity Based on available data, the classification criteria are not met.

Reproductive toxicityBased on available data, the classification criteria are not met.

STOT - single exposure Based on available data, the classification criteria are not met.

STOT - repeated exposureBased on available data, the classification criteria are not met.

Aspiration hazard Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

12.1. Toxicity

Europe - BE Page 7/11

Revision date 30-Mar-2020

BOSTIK PERFECT SEAL KITCHEN & BATHROOM WHITE

Supercedes Date: 04-Mar-2020 Revision Number 1.02

Ecotoxicity .

| Chemical name | Algae/aquatic | Fish | Toxicity to | Crustacea | M-Factor | M-Factor |
|--------------------|-----------------|---------------|-----------------|---------------|----------|-------------|
| | plants | | Micro-organisms | | | (long-term) |
| 2-Pentanone oxime | EC50 (72h) = 54 | LC50 (96h) > | - | EC50 (48h) > | | |
| 623-40-5 | mg/L | 100 mg/L | | 100 mg/l | | |
| | (Pseudokirchner | (Oncorhynchus | | (Daphnia | | |
| | iella | mykiss) OECD | | magna) OECD | | |
| | subcapitata) | Guideline 203 | | Guideline 202 | | |
| | OECD 201 | | | | | |
| 3-(Triethoxysilyl) | EC50 (72h) | LC50 (96h) | - | EC50 (48h) | | |
| propylamine | >1000 mg/L | >934 mg/L | | =331 mg/L | | |
| 919-30-2 | Green algae | (Brachydanio | | Daphnia magna | | |
| | (desmodesmus | rerio) (OECD | | (OECD TG 202) | | |
| | subspicatus) | TG 203) | | | | |
| | (OECD TG 201) | , | | | | |

12.2. Persistence and degradability

Persistence and degradability No information of the control of the

No information available.

12.3. Bioaccumulative potential

Bioaccumulation There is no data for this product.

Component Information

| | Chemical name | Partition coefficient | Bioconcentration factor (BCF) |
|-------------------|--------------------------------|-----------------------|-------------------------------|
| 2-Pentanone oxime | | 1.43 | - |
| | 623-40-5 | | |
| | 3-(Triethoxysilyl) propylamine | 1.7 | 3.4 |
| | 919-30-2 | | |

12.4. Mobility in soil

Mobility in soil No information available.

12.5. Results of PBT and vPvB assessment

PBT and vPvB assessment

| Chemical name | PBT and vPvB assessment | |
|--|---------------------------------|--|
| 2-Pentanone oxime 623-40-5 | The substance is not PBT / vPvB | |
| 3-(Triethoxysilyl) propylamine 919-30-2 | The substance is not PBT / vPvB | |

12.6. Other adverse effects

Other adverse effects No information available.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste from residues/unused products

Dispose of contents/container in accordance with local, regional, national, and

international regulations as applicable.

Contaminated packaging Do not reuse empty containers. Handle contaminated packages in the same way as the

Europe - BE Page 8/11

Revision date 30-Mar-2020

BOSTIK PERFECT SEAL KITCHEN & BATHROOM WHITE

Supercedes Date: 04-Mar-2020 Revision Number 1.02

product itself.

European Waste Catalogue 08 04 09* waste adhesives and sealants containing organic solvents or other dangerous

substances

Other information Waste codes should be assigned by the user based on the application for which the

product was used.

SECTION 14: Transport information

Land transport (ADR/RID)

14.1 UN NumberNot regulated14.2 Proper Shipping NameNot regulated14.3 Transport hazard class(es)Not regulated14.4 Packing GroupNot regulated14.5 Environmental hazardsNot applicable14.6 Special ProvisionsNone

IMDG

14.1 UN numberNot regulated14.2 Proper Shipping NameNot regulated14.3 Transport hazard class(es)Not regulated14.4 Packing groupNot regulated14.5 Marine PollutantNp

14.5 Marine Pollutant Np 14.6 Special Provisions None

14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code Not applicable

Air transport (ICAO-TI / IATA-DGR)

14.1UN numberNot regulated14.2Proper Shipping NameNot regulated14.3Transport hazard class(es)Not regulated14.4Packing groupNot regulated14.5Environmental hazardsNot applicable14.6Special ProvisionsNone

Section 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

European Union

Take note of Directive 2000/39/EC establishing a first list of indicative occupational exposure limit values

Registration, Evaluation, Authorization, and Restriction of Chemicals (REACh) Regulation (EC 1907/2006)

SVHC: Substances of Very High Concern for Authorisation:

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

EU-REACH (1907/2006) - Annex XVII - Substances subject to Restriction

This product does not contain substances subject to restriction (Regulation (EC) No. 1907/2006 (REACH), Annex XVII).

Substance subject to authorisation per REACH Annex XIV

This product does not contain substances subject to authorisation (Regulation (EC) No. 1907/2006 (REACH), Annex XIV)

Europe - BE Page 9 / 11

Revision date 30-Mar-2020

BOSTIK PERFECT SEAL KITCHEN & BATHROOM WHITE

Supercedes Date: 04-Mar-2020 Revision Number 1.02

Biocidal Products Regulation (EU) No 528/2012 (BPR)

This product contains a biocidal product for the preservation of the dry film Contains: 2-octyl-2H-isothiazol-3-one [OIT]

Ozone-depleting substances (ODS) regulation (EC) 1005/2009

Not applicable

Persistent Organic Pollutants

Not applicable

National Regulations

France

Germany

Ordinance on Industrial Safety and Health - Germany - BetrSichV

No flammable liquids in accordance with BetrSichV

Water hazard class (WGK) slightly hazardous to water (WGK 1)

TRGS - 510 Storage Class Storage Class 10 : Combustible liquids

Netherlands

List of Carcinogenic, mutagenic and reproductive toxin substances in accordance with Inspectorate SZW (Netherlands)

MAL-Code 00-1 (1993)

<u>Sweden</u>

Occupational exposure limits AFS 2018:1

15.2. Chemical safety assessment

Chemical Safety Assessments have been carried out by the Reach registrants for substances registered at >10 tpa. No Chemical Safety Assessment has been carried out for this mixture

SECTION 16: Other information

Key or legend to abbreviations and acronyms used in the safety data sheet

Full text of H-Statements referred to under section 3

H302 - Harmful if swallowed

H314 - Causes severe skin burns and eye damage

H317 - May cause an allergic skin reaction

H319 - Causes serious eye irritation

H412 - Harmful to aquatic life with long lasting effects

Legend

TWA TWA (time-weighted average)
STEL STEL (Short Term Exposure Limit)

Ceiling Ceiling Limit Value
* Skin designation

SVHC Substance(s) of Very High Concern

Europe - BE Page 10 / 11

Revision date 30-Mar-2020

BOSTIK PERFECT SEAL KITCHEN & BATHROOM WHITE

Supercedes Date: 04-Mar-2020 Revision Number 1.02

PBT Persistent, Bioaccumulative, and Toxic (PBT) Chemicals vPvB Very Persistent and very Bioaccumulative (vPvB) Chemicals

STOT RE Specific target organ toxicity - Repeated exposure STOT SE Specific target organ toxicity - Single exposure

EWC European Waste Catalogue

Key literature references and sources for data

No information available

Prepared By Product Safety & Regulatory Affairs

Revision date 30-Mar-2020

Indication of changes

Revision note SDS sections updated: 1.

Training Advice No information available

Further information No information available

This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet

Europe - BE Page 11/11