

NO MORE NAILS 320G Revision Number 7 **Revision date** 04-Jun-2020 **Supersedes Date**: 07-Jan-2019

Supersedes Date: 07-Jan-2019

\_\_\_

# Section 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

#### 1.1. Product Identifier

Product Name NO MORE NAILS 320G

Pure substance/mixture Mixture

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use Adhesive.

Uses advised against No information available.

1.3. Details of the supplier of the safety data sheet

**Company Name** 

Bostik (Shanghai) Management Co., Ltd

**Building 1, No.968 Guanghua Road, Minhang District** 

Shanghai, China Tel: 021-60763101 Fax: 021-60763133 Manufacturer

Bostik Findley (Malaysia) Sdn. Bhd

Lot 112 & 113,

Kawasan Perindustrian senawang, seremban, negeri sembilian, Malaysia

Tel: 606-6789788 Fax: 606-6789766

See section 16 for more information.

1.4. Emergency telephone number

Emergency Telephone 0532-8388 9090 (China only)

E-mail address SDS.AP@Bostik.com

#### Section 2: HAZARDS IDENTIFICATION

#### 2.1. Classification of the substance or mixture

Aspiration hazard	Category 1 (6.1E <sup>g</sup> )
Skin corrosion/irritation	Category 2 (6.3A)
Hazardous to the Aquatic Environment - Acute Hazard	Category 2 (9.1D)
Hazardous to the Aquatic Environment - Chronic Hazard	Category 2 (9.1B)
Flammable liquids	Category 2 (3.1B)

Classification in parenthesis is applicable for New Zealand Hazard Classification

#### 2.2. Label Elements



Signal word

Danger

#### **Hazard statements**

H411 - Toxic to aquatic life with long lasting effects

H315 - Causes skin irritation

H304 - May be fatal if swallowed and enters airways

H225 - Highly flammable liquid and vapor

**NO MORE NAILS 320G Revision Number** 7

Revision date 04-Jun-2020

Supersedes Date: 07-Jan-2019

#### Prevention

P264 - Wash face, hands and any exposed skin thoroughly after handling

P280 - Wear protective gloves/protective clothing/eye protection/face protection

P273 - Avoid release to the environment

P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking

P233 - Keep container tightly closed

P240 - Ground/bond container and receiving equipment

P241 - Use explosion-proof electrical/ ventilating/ lighting/ equipment

P242 - Use only non-sparking tools

P243 - Take precautionary measures against static discharge

#### Response

P321 - Specific treatment (see supplemental first aid instructions on this label)

#### Skin

P332 + P313 - If skin irritation occurs: Get medical advice/attention

P303 + P361 + P353 - IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with

water/shower

P363 - Wash contaminated clothing before reuse

#### Ingestion

P301 + P310 - IF SWALLOWED: Immediately call a POISON CENTER or doctor

P331 - Do NOT induce vomiting

P370 + P378 - In case of fire: Use dry chemical, CO2, water spray or alcohol-resistant foam to extinguish

#### Spill

P391 - Collect spillage

#### Storage

P405 - Store locked up

P403 + P235 - Store in a well-ventilated place. Keep cool

P501 - Dispose of contents/ container to an approved waste disposal plant

#### 2.3. Other Hazards

#### Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

#### 3.1 Substances

Mixture

3.2 Mixtures

Chemical name	CAS No.	Weight-%
Cyclohexane	110-82-7	5 - 10
Resin acids and rosin acids, esters with pentaerythritol	8050-26-8	5 - 10
Methylcyclohexane	108-87-2	1 - 5
Hexane	110-54-3	1 - 5
Ethyl alcohol	64-17-5	1 - 5

<sup>\*\*\*</sup> Any remaining ingredients are not hazardous

#### Section 4: FIRST AID MEASURES

#### 4.1. Description of first aid measures

**General advice** If medical advice is needed, have product container or label at hand.

Inhalation Remove to fresh air.

Wash with plenty of soap and water. If skin irritation occurs: Get medical Skin contact

advice/attention.

Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Eve contact

Remove contact lenses, if present and easy to do. Continue rinsing. Call a physician

NO MORE NAILS 320G
Revision Number 7
Revision Date: 04-Jun-2020
Supersedes Date: 07-Jan-2019

\_\_\_\_\_

immediately.

Ingestion If swallowed, do not induce vomiting: seek medical advice immediately and show this

container or label.

**Self-protection of the first aider** Use personal protection recommended in Section 8. Isolate the hazard area and deny

entry to unnecessary and unprotected personnel

4.2. Most important symptoms and effects, both acute and delayed

Symptoms None known.

4.3. Indication of any immediate medical attention and special treatment needed

Note to physicians Treat symptomatically.

4.4. Reference to Other Sections

Reference to other sections See Section 12: ECOLOGICAL INFORMATION

Section 7: HANDLING AND STORAGE

Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Section 5: FIRE-FIGHTING MEASURES

5.1. Extinguishing media

risk.

Unsuitable extinguishing media No information available.

5.2. Special hazards arising from the substance or mixture

Specific hazards arising from the

chemical

Carbon monoxide, carbon dioxide and unburned hydrocarbons (smoke).

**Hazardous combustion** 

products

Carbon oxides.

5.3. Advice for firefighters

Special protective equipment for

fire-fighters

Wear self contained breathing apparatus for fire fighting if necessary.

#### Section 6: ACCIDENTAL RELEASE MEASURES

#### 6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions Remove all sources of ignition. Evacuate personnel to safe areas. Ensure adequate

ventilation, especially in confined areas.

entry to unnecessary and unprotected personnel.

6.2. Environmental precautions

**Environmental precautions**Do not empty into drains, dispose of this material and its container at hazardous or

special waste collection point. See Section 12 for additional Ecological Information.

#### 6.3. Methods and material for containment and cleaning up

Methods for containment Dike far ahead of spill; use dry sand to contain the flow of material. Contain and collect

spillage with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations

Page 3 / 12

NO MORE NAILS 320G
Revision Number 7
Revision date 04-Jun-2020
Supersedes Date: 07-Jan-2019

(see Section 13). Protect from moisture.

Methods for cleaning up Pick up and transfer to properly labeled containers. Dam up. Soak up with inert

absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Soak up

with inert absorbent material.

6.4. Reference to other sections

Reference to other sections See Section 12: ECOLOGICAL INFORMATION

Section 7: HANDLING AND STORAGE

Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Section 7: HANDLING AND STORAGE

#### 7.1. Precautions for safe handling

Advice on safe handling Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No

smoking. Take precautionary measures against static charges. Use explosion-proof

electrical/ ventilating/ lighting/ equipment.

#### 7.2. Conditions for safe storage, including any incompatibilities

General hygiene considerations Do not eat, drink or smoke when using this product. Regular cleaning of equipment, work

area and clothing is recommended.

Storage Conditions Keep only in the original container/package in a cool well-ventilated place. Protect from

moisture. Protect from direct contact with water or excessive moisture.

Incompatible materials Strong acids and bases

7.3. Specific end use(s)

Specific Use(s) Adhesive.

Other information No information available.

7.4. References to Other Sections

Reference to other sections See Section 12: ECOLOGICAL INFORMATION

Section 7: HANDLING AND STORAGE

Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

#### 8.1. Control parameters

#### **Exposure Limits**

Chemical name	China	Japan	Korea	New Zealand	Australia
Cyclohexane	TWA: 250 mg/m <sup>3</sup>	TWA: 150 ppm	TWA: 200 ppm	TWA: 100 ppm	100 ppm TWA
110-82-7		TWA: 520 mg/m <sup>3</sup>		TWA: 350 mg/m <sup>3</sup>	350 mg/m³ TWA
				STEL: 300 ppm	300 ppm STEL
				STEL: 1050 mg/m <sup>3</sup>	1050 mg/m <sup>3</sup> STEL
Methylcyclohexane		TWA: 400 ppm	TWA: 400 ppm	TWA: 400 ppm	400 ppm TWA
108-87-2		TWA: 1600 mg/m <sup>3</sup>		TWA: 1610 mg/m <sup>3</sup>	1610 mg/m <sup>3</sup> TWA
Hexane	TWA: 100 mg/m <sup>3</sup>	TWA: 40 ppm	TWA: 50 ppm	TWA: 20 ppm	20 ppm TWA
110-54-3	STEL: 180 mg/m <sup>3</sup>	TWA: 140 mg/m <sup>3</sup>		TWA: 72 mg/m <sup>3</sup>	72 mg/m³ TWA
	Skin*	Skin			_
		ISHL/ACL: 40 ppm			
Ethyl alcohol			TWA: 1000 ppm	TWA: 1000 ppm	1000 ppm TWA
64-17-5				TWA: 1880 mg/m <sup>3</sup>	1880 mg/m <sup>3</sup> TWA

Chemical name	European Union	ACGIH TLV	NIOSH IDLH	OSHA PEL
Cyclohexane	TWA: 200 ppm	TWA: 100 ppm	IDLH: 1300 ppm	TWA: 300 ppm

NO MORE NAILS 320G
Revision Number 7

Revision date 04-Jun-2020
Supersedes Date: 07-Jan-2019

		<del></del>		
110-82-7	TWA: 700 mg/m <sup>3</sup>		TWA: 300 ppm	TWA: 1050 mg/m <sup>3</sup>
	_		TWA: 1050 mg/m <sup>3</sup>	
Methylcyclohexane	-	TWA: 400 ppm	IDLH: 1200 ppm	TWA: 500 ppm
108-87-2			TWA: 400 ppm	TWA: 2000 mg/m <sup>3</sup>
			TWA: 1600 mg/m <sup>3</sup>	
Hexane	TWA: 20 ppm	TWA: 50 ppm	IDLH: 1100 ppm	TWA: 500 ppm
110-54-3	TWA: 72 mg/m <sup>3</sup>	S*	TWA: 50 ppm	TWA: 1800 mg/m <sup>3</sup>
	_		TWA: 180 mg/m <sup>3</sup>	_
Ethyl alcohol	-	STEL: 1000 ppm	IDLH: 3300 ppm	TWA: 1000 ppm
64-17-5			TWA: 1000 ppm	TWA: 1900 mg/m <sup>3</sup>
			TWA: 1900 mg/m <sup>3</sup>	

Derived No Effect Level (DNEL) No information available

Predicted No Effect Concentration No information available

(PNEC)

OTHER INFORMATION No information available

8.2. Exposure controls

Engineering controls Ensure adequate ventilation, especially in confined areas.

**PPE - Personal Protection Equipment** 

Respiratory protection

**Eye/face protection** Wear safety glasses with side shields (or goggles).

Skin and body protection Wear suitable protective clothing. No special technical protective measures are

necessary under normal conditions.

Hand protection Wear suitable chemical resistant gloves. The selection of suitable gloves does not only

depend on the material, but also on further marks of quality and various manufacturers. No protective equipment is needed under normal use conditions. Respiratory protection required in insufficiently ventilated working areas and during spraying. An air-fed mask,

or for short periods of work, a combination of professional filter is recommended.

General hygiene considerations Do not eat, drink or smoke when using this product. Wash hands thoroughly after

handling. Avoid contact with skin, eyes or clothing. Take off contaminated clothing and

wash before reuse.

**Environmental exposure controls** Do not allow into any sewer, on the ground or into any body of water.

#### Section 9: PHYSICAL AND CHEMICAL PROPERTIES

#### 9.1. Information on basic physical and chemical properties

Physical state Liquid
Appearance Very viscous
Color Brown
Odor Solvent

Odor threshold No information available

Property Values Remarks • Method

pH No data availableMelting point / freezing point No data available

**Boiling point / boiling range** 70 °C **Flash point** -15 °C

Evaporation rate No data available Flammability (solid, gas) No data available

Flammability Limit in Air

Upper flammability or explosive 7.5

limits

Lower flammability or explosive 1.1

limits

Vapor pressureNo data availableVapor densityNo data available

**NO MORE NAILS 320G** Revision date 04-Jun-2020 **Revision Number** 7 Supersedes Date: 07-Jan-2019

1.14 - 25 @ 25 °C Relative density

No data available Water solubility Solubility(ies) No data available **Partition coefficient** No data available **Autoignition temperature** No data available No data available Hyphen No data available Kinematic viscosity No data available **Dynamic viscosity Explosive properties** No information available

No information available **Oxidizing properties** 

9.2. Other information

No information available **Softening Point** No information available Molecular weight No information available Solvent content (%)

Solid content (%) approx. 70

No information available Density

No information available **Bulk density** 

**VOC Content (%)** > 300 g/L

#### Section 10: STABILITY AND REACTIVITY

10.1. Reactivity

Reactivity Stable under recommended storage conditions.

10.2. Chemical stability

Stability Stable under recommended storage conditions

10.3. Possibility of hazardous reactions

Possibility of hazardous reactions None under normal processing.

Hazardous polymerization None under normal processing.

10.4. Conditions to avoid

Conditions to avoid Keep away from heat, sparks and flames. Protect from moisture.

10.5. Incompatible materials

Incompatible materials Strong acids and bases.

10.6. Hazardous decomposition products

**Hazardous decomposition** 

None under normal use conditions.

products

### Section 11: TOXICOLOGY INFORMATION

#### 11.1. Information on toxicological effects

**Acute Toxicity** 

**Product Information** Product does not present an acute toxicity hazard based on known or supplied

information.

Inhalation No data available. No data available. Eye contact No data available. Skin contact No data available. Ingestion

**Component Information** 

NO MORE NAILS 320G Revision Number 7

•

Revision date 04-Jun-2020

Supersedes Date: 07-Jan-2019

\_\_\_

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Cyclohexane 110-82-7	=12705 mg/kg (Rattus)	> 2000 mg/kg (Oryctolagus cuniculus)	>9500 ppm (Rattus) 4 h
Resin acids and rosin acids, esters with pentaerythritol 8050-26-8	>2000 mg/kg (Rattus)	>2000 mg/kg (Oryctolagus cuniculus)	-
Methylcyclohexane 108-87-2	>3200 mg/kg (Rattus)	>2920 mg/Kg bw (Rattus) 24 hour	>23 mg/l (vapour) (Rat- OECD 403)
Hexane 110-54-3	=25 g/kg (Rattus)	= 3000 mg/kg (Oryctolagus cuniculus)	=48000 ppm (Rattus) 4 h
Ethyl alcohol 64-17-5	6200 - 15000 mg/kg (Rattus) OECD 401	-	=124.7 mg/L (Rattus) 4 h

#### Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation No information available.

Serious eye damage/eye irritation No information available.

SensitizationNo information available.Germ cell mutagenicityNo information available.Reproductive toxicityNo information available.STOT - single exposureNo information available.STOT - repeated exposureNo information available.

Target organ effects blood, Central nervous system, Eyes, liver, Peripheral Nervous System (PNS),

Reproductive System, Respiratory system, Skin, Gastrointestinal tract (GI).

Aspiration hazard No information available. Carcinogenicity No information available.

Chemical name	IARC	China	Japan
Ethyl alcohol	Group 1	-	-

IARC (International Agency for Research on Cancer)

Group 1 - Carcinogenic to Humans Group 3 - Not Classifiable as to Carcinogenicity in Humans

#### Section 12: ECOLOGICAL INFORMATION

#### 12.1. Toxicity

#### **Ecotoxicity**

#### **Product Information**

Toxic to aquatic life with long lasting effects.

#### **Component Information**

Data obtained on the component(s) include

Chemical name	Algae/aquatic plants	Fish	Crustacea
Cyclohexane	EC50 72 h > 9.3 mg/L	LC50: 23.03 - 42.07mg/L (96h,	EC50: >400mg/L (24h, Daphnia
110-82-7	(Pseudokirchnerella subcapitata)	Pimephales promelas) LC50:	magna)
		48.87 - 68.76mg/L (96h, Poecilia	
		reticulata) LC50: 3.96 - 5.18mg/L	
		(96h, Pimephales promelas) LC50:	
		24.99 - 44.69mg/L (96h, Lepomis	
		macrochirus)	
Resin acids and rosin acids, esters with pentaerythritol 8050-26-8	>1000 mg/L	>1000 mg/L	>1000 mg/L
Methylcyclohexane 108-87-2	10 mg/l (Pseudokirchneriella subcapitata - OECD 201)	2.07 mg/l (Oryzias latipes )	3 mg/l (Daphnia magna - OECD 202)
Hexane	-	LC50: 2.1 - 2.98mg/L (96h,	EC50: >1000mg/L (24h, Daphnia
110-54-3		Pimephales promelas)	magna)
Ethyl alcohol	EC50 72hr 12.9 g/l (Selenastrum	LC50: >100mg/L (96h, Pimephales	LC50: (48h. Daphnia magna)

NO MORE NAILS 320G
Revision Number 7

Revision date 04-Jun-2020
Supersedes Date: 07-Jan-2019

\_\_\_\_\_

		_	
64-17-5	capricornutum) NOEC 3.24 g/l (Skeletonema costatum)	promelas)	EC50: =12.34 mg/L

#### 12.2. Persistence and degradability

No information available.

#### 12.3. Bioaccumulative potential

There is no data for this product.

Chemical name	Partition coefficient	Bioconcentration factor (BCF)
Cyclohexane 110-82-7	3.44	167
Resin acids and rosin acids, esters with pentaerythritol 8050-26-8	3.62	-
Methylcyclohexane 108-87-2	•	3.88
Ethyl alcohol 64-17-5	-0.32	-

#### 12.4. Mobility in soil

No information available.

#### 12.5. Results of PBT and vPvB assessment

The components in this formulation do not meet the criteria for classification as PBT or vPvB.

Chemical name	PBT and vPvB assessment
Cyclohexane	The substance is not PBT / vPvB
110-82-7	
Resin acids and rosin acids, esters with pentaerythritol	The substance is not PBT / vPvB PBT assessment does not
8050-26-8	apply Further information relevant for the PBT assessment is
	necessary
Methylcyclohexane	The substance is not PBT / vPvB
108-87-2	
Hexane	The substance is not PBT / vPvB
110-54-3	
Ethyl alcohol	The substance is not PBT / vPvB PBT assessment does not
64-17-5	apply

#### 12.6. Other adverse effects

No information available.

#### Section 13: DISPOSAL CONSIDERATIONS

#### 13.1. Waste treatment methods

Waste from residues/unused products

Disposal should be in accordance with applicable regional, national and local laws and

regulations.

**Contaminated packaging** Improper disposal or reuse of this container may be dangerous and illegal.

### **Section 14: TRANSPORT INFORMATION**

**IMDG** 

UN number UN1133

Proper Shipping Name Adhesives (Cyclohexane), Marine Pollutant

Transport hazard class(es) 3
Packing group ||

NO MORE NAILS 320G
Revision Number 7
Revision Date: 04-Jun-2020
Supersedes Date: 07-Jan-2019

Marine pollutant P.
EmS-No F-E, S-D
Limited Quantity (LQ) 5 L

**Description** UN1133, Adhesives (Cyclohexane), 3, II, (-15°C c.c.), Marine Pollutant

**IATA** 

UN number UN1133
Proper Shipping Name Adhesives

Transport hazard class(es) 3
Packing group II
ERG Code 3L
Limited Quantity (LQ) 1 L
Special Provisions A3

**Description** UN1133, Adhesives, 3, II

**ADR** 

UN number UN1133

Proper Shipping Name Adhesives, Environmentally Hazardous

Transport hazard class(es) 3
Labels 3
Packing group ||

**Description** UN1133 1 AdhesivesUN1133 2

Environmental hazards Yes
Limited Quantity (LQ) 5 L
Special Provisions 640D
Classification code F1
Tunnel restriction code (D/E)

#### Section 15: REGULATORY INFORMATION

X - Present

#### **National Regulations**

#### China

This product contains the following substance(s)

Chemical name	Weight-%	China - Catalog of Hazardous Chemicals - Hazardous Chemicals
Cyclohexane 110-82-7	5 - 10	Х
Methylcyclohexane 108-87-2	1 - 5	X
Hexane 110-54-3	1 - 5	X
Ethyl alcohol 64-17-5	1 - 5	X

#### <u>Japan</u>

### Pollutant Release and Transfer Registry (PRTR)

This product contains the following Class 1 and Class 2 Designated Chemical Substances per Japan PRTR Law.

Chemical name	Weight-%	Japan - Pollutant Release Transfer Register (PRTR) - Class 1 Substances		
Hexane 110-54-3	1 - 5	X		

NO MORE NAILS 320G
Revision Number 7
Revision Date: 04-Jun-2020
Supersedes Date: 07-Jan-2019

#### Korea

#### **Chemicals Control Act (CCA)**

This product contains the following substance(s)

Chemical name	Weight-%	Toxic substance	Prohibited substance	Restricted substance	Chemicals Control Act (CCA) - Accident Precaution Chemicals	Existing substances subject to registration
Cyclohexane 110-82-7	5 - 10					Х

#### **Industrial Safety and Health Law**

	ISHA - Harmful Substances Prohibited for Manufacturing, Importing, Transferring, or Supplying	ISHA - Harmful Substances Requiring Permission	ISHA - Substances Subject to Control - Gas-Phase Substances		ISHA - Substances to be controlled - Metals	
Cyclohexane 110-82-7				Х		
Hexane 110-54-3				X		

#### **Safety Control of Dangerous Substances Act**

Chemical name	Weight-%	Class 1 - oxidizing solids	Class 2 - flammable solids	Class 3 - spontaneous ly combustible substances and water-reactiv e materials	Class 4 - flammable liquids	Class 5 - self-reactive substances	Class 6 - oxidizing liquids
Cyclohexane 110-82-7	5 - 10				2. Group 1 petroleum, insoluble		
Methylcyclohexane 108-87-2	1 - 5				2. Group 1 petroleum, insoluble		
Hexane 110-54-3	1 - 5				<ol><li>Group 1 petroleum, insoluble</li></ol>		
Ethyl alcohol 64-17-5	1 - 5				6. Alcohol		

#### **Korea - MOE - Waste Control Act - Hazardous Substances in Controlled Waste** Not applicable

#### **International Regulations**

#### **Europe**

#### Restrictions of Use of Hazardous Substances (RoHS) Directive 2011/65/EU

This product does not contain Lead (7439-92-1), Cadmium (7440-43-9), Mercury (7439-97-6), Hexavalent chromium (7440-47-3), Polybrominated biphenyls (PBB), and Polybrominated diphenyl ethers (PBDE) above the regulated limit

NO MORE NAILS 320G Revision Number 7

·

and the third and and ether

mentioned in this regulation

**SVHC: Substances of Very High Concern for Authorization:** 

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

### Section 16: OTHER INFORMATION

#### **Local Contacts**

Bostik Korea, Ltd.

6F, 21

Gukhoe-daero 62-gil Yeongdeungpo-gu

Seoul, 07236

Korea

Tel: +82-02-3703-6870 Fax: +82-02-3703-6850 Bostik-Nitta Co., Ltd 2-22,Futamata

Yao-City, Osaka, 581-0024

Japan

Tel: +81-72-948-8272

Fax: +81-72-948-5988

Bostik India Private Ltd 124/1 & 124/2A Kachanayakanahalli

Behind Bommasandra Indl.Area Off Hosur Road, Hennagara Post,

Revision date 04-Jun-2020

Supersedes Date: 07-Jan-2019

Anekal Taluk

Bangalore - 562106, Karnataka,

INDIA

Tel: 0091-80-27833520 Fax: 00 91-80-27831324

Email: Bostikinfo.India@bostik.com

Bostik Findley (Malaysia) Sdn. Bhd

Lot 112 & 113,

Kawasan Perindustrian senawang, seremban, negeri sembilian, Malaysia

Tel: 606-6789788 Fax: 606-6789766 Bostik Asia Pacific

1 Science Park Road, #04-01/05 West Wing, The Capricorn, Singapore Science Park II, Singapore

117528

Tel: +65-6419-9161 Fax: +65-6419-9150

Bostik Indonesia

Setiabudi Atrium Building,

Fax: 0086-512-52266020

Bostik (Thailand) Co., Ltd 1/32 Bang-na Thani Tower 16th A Foolr. Soi Bangna-Trad 34, Bangna-Trad rd. Bang-na, Bangkok Tel: 02-361 6460-7

Fax: 02-361 6469

Bostik Vietnam Company Limited

10 Doc Lap Avenue, VSIP 1. Thuan An District, BinhDuong Province. Viet Nam.

Tel: 84 650 3765105 Fax: 84 650 3765109

Bostik Phillippines, Inc. 35/F Raffles Corporate Center, F. Ortigas Jr. Road Ortigas Business Center, Pasig city, Phillippines

Tel: 632-900-5656 Fax: 632-900-5622 Bostik Australia Pty Ltd 51-71 High Street, Thomastown Victoria

Australia

Tel: 613 9279-9333 Fax: 613 9279-9342 Level 2, Suite 203 A
JI. HR Rasuna Said
Jakarta Indonesia 12920
Tel: 62 21 521 0404
Fax: 62 21 521 0554
Jiangsu Bositk Adhesive Co.,Ltd
No.15-9, Xinggang Road, Changshu
Enconomic Development Zone
Jiangsu Province 215536
Tel: 0086-512-52266000

Bostik Findley (China) Co.,Ltd No.75, Xin Zhuang 2 Road, Yong He

District, GETDD

Guangzhou, 511356, China

TEL: 020 -32226211 FAX: 020 -32226261

ABN: 79 003 893 838 Bostik New Zealand Limited 19 Eastern Hutt Road Wingate, Lower Hutt, New Zealand

Tel: 04-567 5119 Fax: 04-567 5412

Chronic Hazard Star Legend \*=

\* = Chronic Health Hazard

Key or legend to abbreviations and acronyms used in the safety data sheet

TWA (time-weighted average) STEL (Short Term Exposure Limit) LD50 (lethal dose) EC50 (effective concentration)

Key literature references and sources for data

No information available

Prepared By Product Safety & Regulatory Affairs

NO MORE NAILS 320G
Revision Number 7

Revision Date: 04-Jun-2020
Supersedes Date: 07-Jan-2019

·

Revision date 04-Jun-2020

**Revision note** SDS sections updated, 2, 14, 9.

Training Advice Provide adequate information, instruction, and training for operator

#### Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**End of Safety Data Sheet**