Bostik Butyltätmassa 1131

Last changed: 23/04/2016

Replaces date: 23/01/2015

Internal No: P0002

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name Bostik Butyltätmassa 1131

1.2. Relevant identified uses of the substance or mixture and uses advised against

Email

RECOMMENDED USES: Butyl sealant.

1.3. Details of the supplier of the safety data sheet

NATIONAL MANUFACTURER/IMPORTER

Enterprise	Bostik AB
Address	Strandbadsvägen 22
Postal code	251 09 Helsingborg
Country	Sweden
Email	Info.se@bostik.com
Internet	www.bostik.se
Tel	+46 42 19 50 00

CONTACT PERSON

Name Bostik AB Miljöavdelningen

Tel +46 42 19 50 00

Country

1.4. Emergency telephone number

1.4. Emergency telephone number		
Emergency Phone	Type of assistance	Opening Hours
+46 8 331231	Swedish Poisons Informations Centre	

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture		
CLP Classification:	Classification according to Regulation (EC) No 1272/2008 CLP / GHS: not classified	
Most serious harmful effects::	Further information on potential health effects and symptoms of Section 11	

2.2. Label elements

Signal word: None

2.3. Other hazards

None known.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Bostik Butyltätmassa 1131

Last changed: 23/04/2016

Replaces date: 23/01/2015

Internal No: P0002

Ingredient name	Reg. no.	EC No.	CAS No.	Conc. (wt%)	CLP-classification
Inorganic filler	-	-	-		-
polyisobutene	-	-	9003-27- 4		-
Highly refined mineral oil (DMSO extract <3%, IP 346)	01-2119480472-38	265-32-7	64742-62- 7		-

Full text of H- and EUH-phrases: see section 16.

The EUH hazard statements mentioned in CLP-classification are only label elements.

SECTION 4: First aid measures

4.1. Description of first aid measures

INHALATION

Fresh air.

INGESTION

Ingestion of large quantities may cause discomfort.

SKIN

Wash skin with soap and water. Wash skin thoroughly with soap and water.

EYES

Rinse immediately with plenty of water. Contact physician if symptoms appears.

BURNS

Flush with water until the pain stops and continue flushing for another 30 minutes. Consult a physician for specific advice.

GENERAL

When obtaining medical advice, show the safety data sheet or label.

4.2. Most important symptoms and effects, both acute and delayed

None known.

4.3. Indication of any immediate medical attention and special treatment needed

Show this Material Safety Datasheet to the doctor.

SECTION 5: Firefighting measures

5.1. Extinguishing media

SUITABLE EXTINGUISHING MEDIA:

Extinguish with powder, carbon dioxide, foam or fine water mist.

UNSUITABLE EXTINGUISHING MEDIA

Do not use a direct water jet that could spread the fire.

5.2. Special hazards arising from the substance or mixture

Gases that are dangerous to health are formed in a fire.

5.3. Advice for firefighters

Breathing apparatus should be used in fire fighting.

Bostik Butyltätmassa 1131

Last changed: 23/04/2016

Replaces date: 23/01/2015

Internal No: P0002

OTHER INFORMATION

Cool containers exposed to flames with water until well after the fire is out.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

PERSONAL PRECAUTIONS

Use suitable protective clothing, as necessary.

6.2. Environmental precautions

Prevent discharge into the sewage system or the immediate environment.

6.3. Methods and material for containment and cleaning up

METHODS AND MATERIAL

Collect mechanically. Collect the waste in closed vessel.

6.4. Reference to other sections

See Section 8 for personal protective equipment and section 13 for waste disposal.

OTHER INFORMATION

Show this safety data sheet, if possible.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Take care not to overheat the adhesive. (Valid for profiling / extrusion).Observe normal hygiene such as washing hands before meals, etc.

7.2. Conditions for safe storage, including any incompatibilities

Keep in a cool, well-ventilated place.

7.3. Specific end use(s)

See Technical Data Sheet.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

MONITORING PROCEDURES Not translated to English

Not translated to Eligiisi

8.2. Exposure controls

EXPOSURE SCENARIOS

Provide adequate general and local exhaust ventilation.

APPROPRIATE ENGINEERING CONTROLS

The work place and work methods shall be oganized in such a way that direct contact with the product is prevented.

EYE PROTECTION

Wear safety goggles if there is a risk of eye splash.

Bostik Butyltätmassa 1131

Last changed: 23/04/2016

Replaces date: 23/01/2015

Internal No: P0002

SKIN PROTECTION

Use suitable protective clothing, as necessary.

HAND PROTECTION

Protective gloves is recommended if there is a risk of direct contact or splashes. Protective gloves (rubber, plastic).

RESPIRATORY PROTECTION

Ensure good general ventilation.

LIMITATION OF ENVIRONMENTAL EXPOSURE

Ensure compliance with local regulations for emissions.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties			
STATE	Paste		
COLOUR	Grey/Black		
ODOUR	Odourless or no characteristic odour.		
SOLUBILITY IN	WATER Partically soluble in: Organic solvents.		

Parameter	Value/unit	Method/reference	Observation
pH (concentrate)	No data		
pH (solution for use)	-		
Melting point	-		
Freezing point	-		
Initial boiling point and boiling range	-		
Flash point	-		
Evaporation rate	-		
Flammability (solid, gas)	-		
Flammability limits	-		
Explosion limits	-		
Vapour pressure	-		
Vapour density	-		
Relative density	-		
Partition coefficient	-		
Auto-ignitiontemperature	-		
Decomposition temperature	-		
Viscosity	-		

9.2. Other information

	Observation
Density 1,7 g/cm ³	

Note no.

Comments

SECTION 10: Stability and reactivity

10.1. Reactivity

No known data.

10.2. Chemical stability

Stable under recommended storage and handling conditions.

10.3. Possibility of hazardous reactions

Bostik Butyltätmassa 1131

Last changed: 23/04/2016

Replaces date: 23/01/2015

Internal No: P0002

10.4. Conditions to avoid

Avoid high temperatures and direct sunlight.

10.5. Incompatible materials

Strong oxidizing agent.

10.6. Hazardous decomposition products

Formation of hazardous vapours may take place at decomposition temperatures.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity - oral

Ingestion of limited amounts is not considered dangerous. Ingestion of harmful amounts is, based on the products properties, not considered probable.

Skin corrosion/irritation

Can be irritating after prolonged skin contact.

Serious eye damage/eye irritation

May be irritating.

SECTION 12: Ecological information

12.1. Toxicity

ACUTE AQUATIC TEST RESULTS

No information available

ECOTOXICITY

Ecotoxilogical information for the product is not available.

12.2. Persistence and degradability

No information available

12.3. Bioaccumulative potential

No information available

12.4. Mobility in soil

No information available

12.5. Results of PBT and vPvB assessment

The product does not contain any PBT or vPvB substances.

12.6. Other adverse effects

No information available

Bostik Butyltätmassa 1131

Last changed: 23/04/2016

Replaces date: 23/01/2015

Internal No: P0002

OTHER INFORMATION

Not regarded as dangerous for the environment.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

GENERAL REGULATIONS

Remains and waste must be treated as dangerous waste.

CATEGORY OF WASTE

EWC code: 120107

SECTION 14: Transport information

Classified as Dangerous Goods: No

Land transport	t (ADR/RID)			
14.1. UN number	Not applicable	14.4. Packing group	Not applicable	
14.2. UN proper shipping name	Not applicable	14.5. Environmental hazards	Not applicable	
14.3. Transport hazard class(es)	Not applicable			
Hazard label(s)	Not applicable			
Hazard identification number	Not applicable	Tunnel restriction code	Not applicable	

Inland water wa	ays transport (ADN)			
14.1. UN number	Not applicable	14.4. Packing group	Not applicable	
14.2. UN proper shipping name	Notapplicable	14.5. Environmental hazards	Not applicable	
14.3. Transport hazard class(es)	Not applicable			
Hazard label(s)	Not applicable			
Environmental hazard in tank vessels	Not applicable			

Bostik Butyltätmassa 1131

Last changed: 23/04/2016

Replaces date: 23/01/2015

Internal No: P0002

Sea transport	(IMDG)			
14.1. UN number	Not applicable	14.4. Packing group	Not applicable	
14.2. UN proper shipping name	Notapplicable	14.5. Environmental hazards	Not applicable	
14.3. Transport hazard class(es)	Not applicable			
Hazard label(s)	Not applicable			
Sub Risk:	Not applicable			
IMDG Code segregation group	Not applicable			
Marine pollutant	Not applicable			
Substance name(s) on marine pollutant	Not applicable			
EMS:	Not applicable			

Air transport	: (ICAO-TI / IATA-DGR)		
14.1. UN number	Not applicable	14.4. Packing group	Not applicable
14.2. UN proper shipping name	Not applicable		
14.3. Transport hazard class(es)	Not applicable		
Hazard label(s)	Not applicable		

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

OTHER REGULATORY INFORMATION

Safety, health and environmental regulations / legislation specific for the substance or mixture. EU Regulation (EC) No 1907/2006 (REACH).SVHC substances(Subtances of Very high concern): None of components are listed.

15.2. Chemical safety assessment

OTHER INFORMATION

Chemical safety assessment has not been performed.

SECTION 16: Other information

VENDOR NOTES

The information on this Safety Data Sheet is based on our present knowledge and applicable EU and national laws. The product should not be used for other purposes than as specified in paragraph 1, without a prior written instruction from the supplier. It is always the full responsibility of the user to follow the requirements according to the law. The information on the Safety Data Sheet is intended to describe the security requirements of the product and is not a guarantee for the product quality.